



DOCUMENT ADDENDA

For the documents titled: **LEED 2009 for New Construction and Major Renovations Rating System (July 2010)**

Note: This document contains addenda to the rating system listed above and will be published on a quarterly basis beginning in April 2010. For more information, visit the USGBC website <http://www.usgbc.org/addenda>.

Page	Location	Credit	Credit Title	Issue	Post Date
xiv	III. MINIMUM PROGRAM REQUIREMENTS	n/a	n/a	Replace the last sentence of the section with "To view the MPRs and the MPR Supplemental Guidance, visit the LEED Resources and Tools section of www.usgbc.org/projectools ."	11/3/2010
xvi-xvii	Minimum Program Requirements	n/a	n/a	Remove the two pages	11/3/2010
5	Requirement	SSc3	Brownfield Redevelopment	Below this section and above "Potential Technologies and Strategies," add the following text as a new section: For projects where asbestos is found and remediated also earn this credit. Testing should be done in accordance with EPA Reg 40CFR part 763, when applicable.	11/3/2010
12	Requirements	SSc5.1	Site Development – Protect or Restore Habitat	Below this section and above "Potential Technologies and Strategies," add the following text as a new section: Projects with limited landscape opportunities may also donate offsite land in perpetuity, equal to 60% of the previously developed area (including the building footprint), to a land trust within the same EPA Level III Ecoregion identified for the project site. The land trust must adhere to the Land Trust Alliance 'Land Trust Standards and Practices' 2004 Revision.	11/3/2010
66	Requirements Table	IEQc4.1	Low-Emitting Materials – Adhesives and Sealants	In the "Sealants" section, remove the items "Nonmembrane roof, 300" and "Single-ply roof membrane, 450"	11/3/2010

Page	Location	Credit	Credit Title	Issue	Post Date
66	Requirements Table	IEQc4.1	Low-Emitting Materials – Adhesives and Sealants	Below the table, insert the note: This table excludes adhesives and sealants integral to the water-proofing system or that are not building related.	11/3/2010
72	Potential Technologies & Strategies	IEQc5	Indoor Chemical and Pollutant Source Control	In the fourth line of the paragraph, remove “both return air and”	11/3/2010
77	OPTION 1	IEQc8.1	Daylights and Views - Daylight	In the first line of the paragraph, replace “75% or more of all regularly occupied spaces” with “applicable spaces” so the text becomes “Demonstrate through computer simulation that the applicable spaces achieve...”	11/3/2010
79	OPTION 3	IEQc8.1	Daylights and Views - Daylight	In the first paragraph, replace the first sentence with “Demonstrate through records of indoor light measurements that a minimum daylight illumination level of 25 fc has been achieved in the applicable spaces.”	11/3/2010
79	OPTION 4	IEQc8.1	Daylights and Views - Daylight	In the first paragraph, replace the first sentence with "Any of the above calculation methods may be combined to document the minimum daylight illumination in the applicable spaces."	11/3/2010
85	Requirements	RPc1	Regional Priority	In the second paragraph, replace the last sentence with "The USGBC has prioritized credits for projects located in the U.S., Puerto Rico, the U.S. Virgin Islands, and Guam. All other international projects should check the database for eligible Regional Priority credits."	11/3/2010

Note: The online version of the Rating System (<http://www.usgbc.org/ShowFile.aspx?DocumentID=7244>) takes precedent over the Rating System portions of the LEED Reference Guides in project guidance and application; project teams are required to adhere to the Rating System and Rating System addenda in accordance with the project’s registration date.