



DOCUMENT ADDENDA

For the document titled: **LEED 2009 for Commercial Interiors Rating System** (November 2008)

Note: This document contains addenda to the rating system listed above and will be published on a quarterly basis beginning in April 2010. For more information, visit the USGBC website <http://www.usgbc.org/addenda>.

Page	Location	Credit	Credit Title	Issue	Post Date
n/a	n/a	n/a	n/a	Replace all instances of "[LEED] Registered Project Tools [website]" with "LEED Resources & Tools [website]"; the website (www.usgbc.org/projecttools) remains unchanged	1/8/2010
n/a	n/a	n/a	n/a	Replace all instances of "LEED-Online" with "LEED Online"	1/8/2010
15	Requirements	EAp2	Minimum Energy Performance	In the first line of the second bulleted item, insert "or 5.6" after "5.5" so the text becomes "... (Sections 5.5 or 5.6, 6.5, 7.5 and 9.5)..."	4/14/2010
21	Requirements	EAc1.4	Optimize Energy Performance – Equipment and Appliances	In the first line of the first paragraph, replace "qualified" with "eligible" so the text becomes "...ENERGY STAR® eligible equipment..."	4/14/2010
38	Requirements	IEQp2	Environmental Tobacco Smoke (ETS) Control	Remove the heading "CASE 1. Non-Residential Projects"	4/14/2010
38	Requirements	IEQp2	Environmental Tobacco Smoke (ETS) Control	Below the "OPTION 2" heading, insert the heading "CASE 1. Non-Residential Projects"	4/14/2010
38	CASE 2	IEQp2	Environmental Tobacco Smoke (ETS) Control	At the end of the second line in the second paragraph, insert the footnote symbol "1" so the text becomes "... hallway. ¹ "	4/14/2010
39	First paragraph	IEQp2	Environmental Tobacco Smoke (ETS) Control	In the third line of the paragraph, remove the text ", found at (http://www.energy.ca.gov/title24_1998_standards/residential_acm/CHA_PTER07.pdf)." so the text becomes "...Approval Manual."	4/14/2010

Page	Location	Credit	Credit Title	Issue	Post Date
39	Bottom of page	IEQp2	Environmental Tobacco Smoke (ETS) Control	At the bottom of the page, insert the footnote text ¹ If the common hallways are pressurized with respect to the residential units then doors in the residential units leading to the common hallways need not be weather-stripped provided that the positive differential pressure is demonstrated as in Option 2, Case 1 above, considering the residential unit as the smoking room.	4/14/2010
41	CASE 2	IEQc2	Increased Ventilation	In the first paragraph, remove the text "Design natural ventilation systems for occupied spaces to meet the recommendations set forth in the Carbon Trust "Good Practice Guide 237" (1998)."	12/2/2009
41	CASE 2	IEQc2	Increased Ventilation	In the fourth line of the paragraph, replace the text "1.18" with "2.8."	1/28/2010
41	OPTION 1	IEQc2	Increased Ventilation	Remove the text in the paragraph and insert: Show that the natural ventilation systems design meets the recommendations set forth in the CIBSE manuals appropriate to the project space. PATH 1. CIBSE Applications Manual 10: 2005, Natural Ventilation in Non-domestic Buildings PATH 2. CIBSE AM 13:2000, Mixed Mode Ventilation	12/2/2009
44	Path 1	IEQc3.2	Construction Indoor Air Quality Management Plan – Before Occupancy	In third line of the paragraph , change "600F" to "60°F" so the text becomes "...temperature of at least 60°F and..."	1/8/2010
49	OPTION 1	IEQc4.3	Low-Emitting Materials – Flooring Systems	Replace the text of the fourth bulleted item with the following: All hard surface flooring must meet the requirements of the FloorScore ² standard (current as of the date of this rating system, or more stringent version) as shown with testing by an independent third-party. Mineral-based finish flooring products such as tile, masonry, terrazzo, and cut stone without integral organic-based coatings and sealants and unfinished/untreated solid wood flooring qualify for credit without any IAQ testing requirements. However, associated site-applied adhesives, grouts, finishes and sealers must be compliant for a mineral-based or unfinished/untreated solid wood flooring system to qualify for credit.	4/14/2010
49	OPTION 1	IEQc4.3	Low-Emitting Materials – Flooring Systems	Remove the fifth bulleted item	4/14/2010

Page	Location	Credit	Credit Title	Issue	Post Date
50	OPTION 2	IEQc4.3	Low-Emitting Materials – Flooring Systems	At the end of the paragraph, add the following text: Mineral-based finish flooring products such as tile, masonry, terrazzo, and cut stone without integral organic-based coatings and sealants and unfinished/untreated solid wood flooring qualify for credit without any IAQ testing requirements. However, associated site-applied adhesives, grouts, finishes and sealers must be compliant for a mineral-based or unfinished/untreated solid wood flooring system to qualify for credit.	4/14/2010
54	Intent	IEQc5	Indoor Chemical and Pollutant Source Control	In first line of the paragraph insert a comma after "particulates" and in the second line remove the period after "pollutants" so the text becomes "...hazardous particulates, biological contaminants and chemical pollutants that degrade..."	1/8/2010
59	OPTION 2	IEQc8.1	Daylight and Views – Daylight	In the first line of the second paragraph, replace "below" with "on the next page" so the text becomes "For the Side-lighting Daylight Zone (see diagram on the next page):"	4/14/2010
60	Text below image	IEQc8.1	Daylight and Views – Daylight	In the first line, replace "below" with "on the next page" so the text becomes "For Top-lighting Daylight Zone (see diagram on the next page):"	4/14/2010
85	Requirements	IDc1	Innovation in Design	Below the text of the "PATH 2" section text, insert the following section: Path 3. Pilot Credit (1 point) Attempt a pilot credit available in the Pilot Credit Library at www.usgbc.org/pilotcreditlibrary . Register as a pilot credit participant and complete the required documentation. Projects may pursue more than 1 pilot credit; however, a maximum of 1 point will be awarded.	4/14/2010

Note: The online version of the Rating System (<http://www.usgbc.org/ShowFile.aspx?DocumentID=7246>) takes precedent over the Rating System portions of the LEED Reference Guides in project guidance and application; project teams are required to adhere to the Rating System and Rating System addenda in accordance with the project's registration date.