



DOCUMENT ADDENDA

For the documents titled: **LEED Reference Guide for Green Building Design and Construction—Retail Supplement, 2009 Edition** (first edition)

Note: This document contains addenda to the reference guide listed above and will be published on a quarterly basis beginning in April 2010. For more information, visit the USGBC website <http://www.usgbc.org/addenda>.

Page	Location	Credit	Credit Title	Issue	Post Date
xiv	Credit Interpretation Requests and Rulings	n/a	n/a	<p>Replace the section with the following:</p> <p>In some cases, a LEED project team may encounter challenges when interpreting the requirements of a Minimum Program Requirement (MPR), prerequisite or credit for their project because a specific issue, situation, or a conflict is not addressed by available materials. To address such issues, two processes have been established for each LEED rating system: Project Credit Interpretation Rulings (Project CIR) and LEED Interpretations. See the USGBC and GBCI websites for more information, at www.usgbc.org and www.gbci.org. Project CIRs and LEED Interpretations must be submitted online. Provide a brief but clear description of the challenge encountered, refer to the MPR, prerequisite or credit information found in the rating system, reference guide, or supporting documentation and emphasize the intent of the MPR, prerequisite or credit. If possible, the project team should offer potential solutions to the problem or a proposed interpretation.</p> <p>All communications related to Project CIRs and LEED Interpretations will be in electronic format.</p>	5/9/2011
45*	Footnote 1	WEc1	Water Efficient Landscaping	<p>Replace the footnote text with the following:</p> <p>If the percent reduction of potable water is 100% AND the percent reduction of total water is equal to or greater than 50%, then Option 2 is earned, for a total of 4 points.</p>	5/9/2011
68*	Table 1	EAc1	Optimize Energy Performance	<p>Replace table with the one in the supplementary document: https://www.usgbc.org/ShowFile.aspx?DocumentID=9314</p>	5/9/2011
79*	Requirements	EAc4	Enhanced Refrigerant Management	<p>Update equation on bottom of page to read:</p> $\sum \frac{(LCGWP + LCODP \times 105) \times Q_{unit}}{Q_{total}} \leq 100$	5/9/2011

Page	Location	Credit	Credit Title	Issue	Post Date
113*	Footnote 2	IEQc1	Outdoor Air Delivery Monitoring	Remove Footnote, "CO2 monitoring is required in densely occupied spaces, in addition to outdoor air intake flow measurement."	5/9/2011
119*	OPTION 2. Air Testing	IEQc3.2	Construction IAQ Management Plan-Before Occupancy	<p>(1) In the first sentence of the paragraph, replace the text "and as additionally detailed in the LEED Reference Guide for Green Building Design and Construction, 2009 Edition" with "or the ISO method listed in the table below. Testing must be done in accordance with one standard; project teams may not mix requirements from the EPA Compendium of Methods with ISO"</p> <p>(2) In the table, insert two columns to the right (refer to supplementary guidance)</p> <p>(3) In the third bullet item, replace the second sentence (begins with "For each portion") with "The number of sampling locations must include the entire building and all representative situations."</p>	5/9/2011
Entire section	All	IEQc8.1	Daylight and Views-Daylight	Replace section with that of the supplementary document: https://www.usgbc.org/ShowFile.aspx?DocumentID=9340	5/9/2011

*The purpose of these Rating System changes within the Rating System portions of the *LEED Reference Guide for Neighborhood Development* is to align with the LEED 2009 Rating System that comprises the guide: <http://www.usgbc.org/ShowFile.aspx?DocumentID=7573>.

Note: The online version of the Rating System takes precedent over the Rating System portions of the LEED Reference Guides in project guidance and application; project teams are required to adhere to the Rating System and Rating System addenda in accordance with the project's registration date.