


EXECUTIVE ORDER 111 COMPLIANCE FLOWCHART

New York State Office of General Services

Note! To access links, hit "Ctrl" key and click on link



MINIMUM REQUIREMENTS for projects in buildings of any size: Select [Energy Star](#) labeled, [FEMP](#) listed, [EPA](#), [EO 111 Appendix F](#), or [NYSERDA](#) recommended products and materials for HVAC equipment, lighting, electronics, appliances and construction products and assemblies. Applies to both new and replacement items for all trades.
FOR NON-BUILDING PROJECTS (site, civil, demolition, dams, etc): see [Green Design Table](#).

EO 111: [Executive Order 111 "Green and Clean" State Bldgs and Vehicles Guidelines 2ed.](#)
 LEED Rating System: [USGBC LEED Rating System for New Construction & Major Renovation](#)
 LEED Info: [United States Green Bldg Council LEED Rating Systems](#)
 Green Bldg Tax Credit: [Part 638: Green Bldg Tax Credit - NYS Dept. Environmental Conservation](#)
 Green Design Table: [Green Design Table for Small Projects](#)
 Additional info and explanations, [NYSOGS Design Procedures Manual Chapt. 9.5 Green & Clean Bldgs Guide](#) (ex: site/civil projects, historic preservation, deliverables, GBTC)

(a) Total new Bldg or Addition area; or, Bldg area served or affected by the building subsystem or equipment being provided or altered. (subsystem ex: windows, insulation, roof, lighting, boiler, piping)
 (b) Bldgs for MFR'ing, industrial, or factory processes, or, leased space that is not billed for utilities.
 (c) ≥ 4 primary bldg subsystems are undergoing ≥ 50% replacement within a 12 month period and the bldg area is unoccupiable for ≥ 30 days due to the nature of the construction.
 (d) > 50% replacement of any building subsystem (e.g., roof) in any consecutive 12 month period.