



for the document titled:

LEED for New Construction
Version 2.2
Reference Guide
First Edition
October 2005

Note: updates to this document are posted on the Reference Guide electronic access Web page (via www.usgbc.org/myUSGBC).

Errata posted

MRC6	278	In the left hand column under “approach and Implementation” change all values of 5% to 2.5% and adjust calculations accordingly.

Errata posted November 17, 2005

Credit Page Erratum

SSc4.4	63	In Option 1 of the Requirements section, revise the beginning of the sentence to read “Size parking capacity to not exceed minimum local zoning...”
MRC7	283	In “Chain-of-Custody Requirements” section, first paragraph: delete “lumber is not applicable, even if individually labeled”. In the second paragraph: delete “and all lumber”. Thus, only the manufacturer’s CoC number is needed for individually labeled lumber used in the project.


Errata posted June 29, 2006

Credit Page Erratum

SSc2	34	In the Calculations section, insert “1” in the first subheading such that it says “Option 1 – Development Density”
SSc5.1	67	Within the requirements for previously developed sites, replace the last sentence with the following text. “Projects earning SS Credit 2 and using vegetated roof surfaces may apply the vegetated roof surface to this calculation (if the plants meet the definition of native/adapted), in which case the requirement is 20% of the <i>total</i> site area.” Thus, the building footprint is included in the denominator of the equation. This option is intended for urban sites with little or no building setback (i.e. zero-lot-line).
SSc5.1	70	The definition of Open Space Area needs clarification. Replace with “Open Space Area is as defined by local zoning requirements. If local zoning requirements do not clearly define open space, it is defined for the purposes of LEED calculations as the property area minus the development footprint; and it must be vegetated and pervious, with exceptions only as noted in the credit

		requirements section. For projects located in urban areas that earn SS Credit 2, open space also includes non-vehicular, pedestrian-oriented hardscape spaces.”
SSc5.2	74	The definition of Open Space Area needs clarification. Replace with “Open Space Area is as defined by local zoning requirements. If local zoning requirements do not clearly define open space, it is defined for the purposes of LEED calculations as the property area minus the development footprint; and it must be vegetated and pervious, with exceptions only as noted in the credit requirements section. For projects located in urban areas that earn SS Credit 2, open space also includes non-vehicular, pedestrian-oriented hardscape spaces.”
SSc7.1	90	Within list item #4, note that shade coverage must be calculated on the summer solstice. The last sentence on the page is to be revised to “Shade coverage shall be calculated at 10am, noon, and 3pm on the summer solstice.”
SSc7.1	92	Add to Option 2 submittal list: “Confirmation that the roof material covering (or shading) the parking has an SRI of at least 29.”
SSc7.1	93	Delete “(see below)” from the definition of albedo.
SSc7.2	95	Under the Option 3 table showing Roof Type, the Steep-Sloped Roof should be “>2:12”, not “≥2:12” as written.
SSc7.2	95	Delete the last two sentences in the Technologies & Strategies section (“Default values for some common products are available in the Reference Guide. Reflectance and emittance data for many products are available from the Cool Roof Rating council Web site, www.coolroofs.org .”)
SSc7.2	98	Revise the last sentence of the Calculation section to specify an SRI “that meets the credit requirements.” <u>instead of “equal to or greater than a theoretical roof with 75% at an SRI of 78 and 25% at an SRI of 30.”</u>
SSc7.2	99	Delete “(see below)” from the definition of albedo.
EA	150	Insert an asterisk in the “Construction Submittal” cell in Table 1 for EAc3, Enhanced Commissioning.
EAc1	186	Under the heading “Exemplary Performance”, replace the existing text with the following: “Projects pursuing EAc1, Option 1, that demonstrate a percentage improvement in the proposed building performance rating compared to the baseline building performance rating per ASHRAE/IESNA Standard 90.1-2004 by the following minimum energy cost savings percentages will be considered for one additional point under the Innovation in Design category: - New Buildings: 45.5% - Existing Buildings: 38.5%”
EA	199	In Table 3, replace the two instances of “electrical” with “energy”. (Any energy produced from the eligible fuels qualifies for points in EAc2.)
EAc2	202	Under the heading “Exemplary Performance” replace the existing text with the following: “An innovation in design point for exemplary performance may be available when the next incremental percentage threshold is achieved. For on-site renewable energy, the % of renewable energy must be 17.5% or greater.”
EAc2	202	“Submittal Documentation” is a section heading and should be bold and larger font. In the second paragraph in this section, replace “prerequisite” with

		“credit”.
EAc6	229	Replace exemplary performance instruction to “Exemplary performance can be achieved by doubling the requirements, either by the amount of electricity or the length of contract.”
EAc6	229	Table 1 title is incorrect. Replace with “CBECS data (U.S. DOE)”
MR	234	Revise MRc1.1 title to be “Building Reuse, 75% of Walls, Floors, Roof”. Revise MRc1.2 title to be “Building Reuse, 95% of Walls, Floors, Roof”.
MR	235	Regarding the row about plumbing equipment, blacken the cell spanning MRc3 to MRc7 (the current text contradicts the credit requirement specifications).
MRc1	246	Delete “prerequisite” in second column, last paragraph.
MRc1	247	Delete “prerequisite” from the third bulleted paragraph.
MRc2.1	249	Revise text in the “Intent” section to match that in MRc2.2: “Divert construction and demolition debris...” (This fixes an editorial error; land clearing debris is not applicable in v2.2.)
MRc2.1	249	Add to last sentence on the page, in regards to salvage materials: “(see page 251)” and see related erratum.
MRc2.2	250	Add to last sentence on the page, in regards to salvage materials: “(see page 251)” and see related erratum.
MRc2	251	Delete “the weight of” from the last paragraph of the Approach and Implementation section. (Calculations can be done by weight OR volume.)
MRc2	251	Delete “the weight of” from the first paragraph of the Calculations section. (Calculations can be done by weight OR volume.)
MRc2	251	Replace the second paragraph of the Calculations section with “If some data need to be converted to the chosen unit of measurement, use the conversion factors in Table 2 or other defensible conversion (submit explanation and source for the latter).”
MRc4	265	Add to the summary of the referenced standard, “The definitions section for this credit contains the relevant details, and thus the standard need not be acquired.”
MRc5	274	Replace the second sentence of the Reused and Salvaged Materials section with “The location from which they were salvaged is to be used as the point of extraction, and the location of the salvaged goods vendor is to be used as the point of manufacture.
MRc6	278	Replace all instances of “5%” with “2.5%”. Delete “10 and 20%”. Correspondingly, change \$225,000 to \$112,500.
MRc6	279	Within the Exemplary Performance section, replace 10% with 5%.
MRc7	281	Delete “only” from the first sentence of the second paragraph of the Requirements section. Add “Wood products purchased for temporary use on the project (e.g., formwork, bracing, scaffolding, sidewalk protection, and guard rails) may be included in the calculation at the project team’s discretion. If any such materials are included, all such materials must be included in the calculation. If such materials are purchased for use on multiple projects, the applicant may include these materials for only one project, at its discretion.”
EQc4.1	333	In the bottom-most section of Table 1 (the one with 3 rows of data), replace “Sealants” with “Sealant Primers” (the section above it addresses the sealants).
EQc3.18	384	Figure 1 is missing in the print version of the Reference Guide, but not the

2		PDF, as follows: 
EQc4.2	337	Delete redundant listing of “Floor coatings: 100g/L”.
EQc4.2	337	Add to the bulleted list of SCAQMD requirements: “Shellac: clear 730 g/L; pigmented 550 g/L”.
EQc4.2	338	Replace “GS-03” with “GC-03” to fix the typographical error.
EQc4.4	345	Delete “Materials considered fit-out” and “(FF&E)” from the second paragraph of the Requirements section. (The term “fit-out” is not defined consistently throughout the building industry.)
EQc8.2	384-385	Correct the numbers for list items within calculations section such that it consists of 1 through 4. (The number “2” list item is embedded within #1, but should be separate.)
EQc8.2	385	In Table 1, replace “2,641” with “4,641” (calculated area for Room 103).
Glossary	398	Delete “(see below)” from the definition of albedo.
Glossary	409	The definition of Open Space Area needed clarification. Replace with: “Open Space Area is as defined by local zoning requirements. If local zoning requirements do not clearly define open space, it is defined for the purposes of LEED calculations as the property area minus the development footprint; and it must be vegetated and pervious, with exceptions only as noted in the credit requirements section. For projects located in urban areas that earn SS Credit 2, open space also includes non-vehicular, pedestrian-oriented hardscape spaces.”

Errata posted Spring 2007

Intro	ii	Change the USGBC address to: U.S. Green Building Council 1800 Massachusetts Ave, NW Suite 300 Washington, DC 20036
Intro	12	Under the second paragraph of LEED Green Building Rating System: History of LEED, add the definition of LEED so the first sentence begins: “The first LEED (Leadership in Energy and Environmental Design) Pilot Project Program...”
Intro	15	At the end of the last paragraph, add “Credit rulings posted after the registration date may be applied by the project team at their choosing (exception: the project’s own CIRs must always be adhered to).”
Intro	17	Under Updates and Addenda, replace “addenda” with “errata”
Intro	18	In the last paragraph under Updates and Addenda, add “errata” between “credits,” and “and credit rulings”.

SSc1	29	<p>Clarification of “water body” definition.</p> <p>Under Approach and Implementation, add a new paragraph after the second paragraph that reads: “Regarding the fifth bullet point of the Requirements, the Clean Water Act is vague in defining “water body” and thus requires interpretation. Small man-made ponds, such as those used in stormwater retention, fire suppression and recreation are not to be included in this definition for LEED purposes. Man-made wetlands and other water bodies created to restore natural habitat and ecological systems are not exempt. Wetlands are addressed specifically by the fourth bullet point of the Requirements.”</p>
SSc1	30	<p>Replace the existing ESRI web link with “www.esri.com/hazards”</p>
SSc2	37	<p>Delete the text under “Exemplary Performance” and replace with the following language from the CIR dated September 22, 2006:</p> <p>“Based on evidence that higher density locations can achieve substantially and quantifiably higher environmental benefits, the following threshold requirements can be used to qualify a project for an exemplary performance Innovation Credit:</p> <p>A LEED for New Construction project must first meet the requirements of Option 1 of SSc2 (density path) in LEED for New Construction v2.2. Additionally, the project must meet one of the two following requirements:</p> <ul style="list-style-type: none"> ▪ The project itself must have a density of at least double that of the average density within the calculated area (see equation 2). <p><i>OR</i></p> <ul style="list-style-type: none"> ▪ The average density within an area twice as large as that for the base credit achievement must be at least 120,000 square feet per acre. To double the area, use equation 2 but double the property area first. <p>These requirements are based on the decision that a project achieving exemplary performance for this credit should:</p> <ul style="list-style-type: none"> ▪ Not lower the existing average density of the area, ▪ Achieve a density of at least twice the threshold of the base credit, <p><i>AND/OR</i></p> <ul style="list-style-type: none"> ▪ Locate within an area of established density that is larger than that required for the base credit, which is why the radius used in the base credit has been doubled.”
SSc2	39	<p>Add to the definition of Square Footage:</p> <p>“Only 2 stories of a parking structure may be counted as part of building square footage. Surface parking (only 1 story of parking) cannot count as part of building square footage; this is to ensure efficient use of land adjacent to the building footprint. Both structured and stacked parking are allowable in square footage calculations.”</p>
SSc4.1	49	<p>Under Exemplary Performance, add a new paragraph with language from Credit Ruling dated September 11, 2006:</p> <p>“Based on evidence that locations with higher transit density can achieve substantially and a quantifiably higher environmental benefit, meeting the following threshold qualifies a project for exemplary performance Innovation Credit. This follows the Center for Clean Air Policy’s finding that average transit ridership increases by 0.5% for every 1.0% increase in growth of transit service levels, which leads to the conclusion that quadrupling transit service generally doubles transit ridership.</p> <p>To accomplish this quadrupling of service and doubling of ridership, at a minimum:</p> <ul style="list-style-type: none"> ▪ Locate the project within ½ mile of at least two existing commuter rail, light rail, or subway lines, <i>OR</i> locate project within ¼ mile of at least two or more stops for four or more public or campus bus lines usable by building occupants;

		<p><i>AND</i></p> <ul style="list-style-type: none"> Frequency of service must be such that at least 200 transit rides per day are available in total at these stops. A combination of rail and bus is allowable. This strategy is based on the assumption that the threshold of the base credit would provide, in most cases, at least 50 transit rides per day (half-hourly service 24 hours per day or more frequent service for less than 24 hours per day). If, on average, transit ridership increases by 0.5% for every 1.0% increase in transit service, then quadrupling the number of rides available would, on average, double the transit ridership. (4 x 50 rides = 200 rides). Include a transit schedule and map within your LEED certification submittal.”
SSc4.3	61	“Electric Drive Transportation Association”, should be “Transportation”
SSc4.3	61	Under the Natural Gas Vehicle Coalition, replace the existing web link with “ http://www.ngvc.org ”.
SSc4.4	63	Add a space below “Provide no new parking” under Option 4 to separate Option 4 requirements from the italicized text. Add a title, “NOTES:” in the new space between Option 4 and the italicized text.
SSc4.4	63	Under Requirements, below the italicized text in NOTES, add: “When parking minimums are not defined by relevant local zoning requirements, or when there are no local zoning requirements, either: A) Meet the requirements of Portland, Oregon, Zoning Code: Title 33, Chapter 33.266 (Parking and Loading) OR, if this standard is not appropriate for the building type, B) Install 25% less parking than the building type's average listed in the Institute of Transportation Engineers' Parking Generation study, 3rd Edition.”
SSc4.4	64	Replace the text under Summary of Referenced Standard with the following text: “ Portland, Oregon, Zoning Code: Title 33, Chapter 33.266 (Parking and Loading) Available through http://www.portlandonline.com/planning/ . Institute of Transportation Engineers' Parking Generation, 3rd Edition Contact LEED Customer Service for details.”
SSc5.2	74	The definition of Open Space Area needs clarification. Replace with: “Open Space Area is as defined by local zoning requirements. If local zoning requirements do not clearly define open space, it is defined for the purposes of LEED calculations as the property area minus the development footprint; and it must be vegetated and pervious, with exceptions only as noted in the credit requirements section. For projects located in urban areas that earn SS Credit 2, open space also includes non-vehicular, pedestrian-oriented hardscape spaces.”
SSc7.1	90	In the second paragraph of Approach and Implementation, replace the existing web link for “Albedo: A Measure of Pavement Surface Reflectance,” with “ http://www.pavement.com/Downloads/RT/RT3.05.pdf ”.
SSc7.1	91	In the first sentence of Exemplary Performance, delete “a minimum of”.
SSc7.1	93	Under American Concrete Pavement Association, replace the existing web link for “Albedo: A Measure of Pavement Surface Reflectance,” with “ http://www.pavement.com/Downloads/RT/RT3.05.pdf ”.
SSc7.2	97	In Table 1, the row for Aluminum should be labeled “Aluminum Coating”. Revise Infrared Emittance to be “0.25” and SRI to be “50”.
SSc7.2	99	Under Extensive Green Roofs, replace the existing web link with

		http://www.wbdg.org/design/greenroofs.php .																									
SSc8	110	Under Sky & Telescope, replace the existing web link with “ http://skytonight.com/resources/darksky ”																									
WEc1	120	In the first column, delete the following: “The values for ET in various regions throughout the United States can be found in regional agricultural data (see Resources section).” To be replaced by: “The Resources section provides a link to ET data.”																									
WEc1	124	Under Resources, replace the reference to “Texas Evapotranspiration Web Site” with the following: Rain Bird® ET Manager™ Scheduler http://www.rainbird.com/landscape/products/controllers/etmanager.htm This free software provides sufficient local evapotranspiration data for the United States and Canada. Use data from the closest or most climate-appropriate location.																									
WEc1	124	Under Water-Efficient Landscaping: Preventing Pollution and Using Resources Wisely, replace the existing web link with “ http://www.epa.gov/OW-OWM.html/water-efficiency/docs/water-efficient_landscaping_508.pdf ”																									
WEc2	135	Under How to Conserve Water and Use it Effectively, replace the existing web link with “ http://www.epa.gov/OWOW/nps/chap3.html ”																									
WEc2	135	Under On-site Wastewater Treatment Systems Manual, replace the existing web link with “ http://www.epa.gov/OW-OWM.html/septic/pubs/septic_management_handbook.pdf ”																									
WEc3	145	Under Smart Communities Network, replace the existing web link with “ http://www.smartcommunities.ncat.org/ ”.																									
WE	147	Under Endnote 2, replace the existing web link with “ http://www.epa.gov/OW-OWM.html/water-efficiency/docs/water-efficient_landscaping_508.pdf ”																									
EA	150	Insert “*” in the “Construction Submittal” cell in Table 1 for EAc3, Enhanced Commissioning.																									
EA	150	On Table 1, change “Eac3” to “EAc3” and change “Eac4” to “EAc4”																									
EAp1	161	Under The Building Commissioning Handbook, replace the existing web link with “ http://www.bcx.org/resources/index.shtml ”																									
EAc1	193	Under the Office of Energy Efficiency and Renewable Energy, replace the existing web link with “ http://www.eere.energy.gov/buildings/ ”																									
EAc1	193	Under Sustainable Buildings Industry Council (SBIC), replace the existing link with “ http://www.nrel.gov/buildings/energy10.html ”																									
EAc2	204	Under Net Metering, replace the existing web link with “ http://www.eere.energy.gov/greenpower/markets/netmetering.shtml ”																									
EAc4	217	In Example Calculation 1, there are incorrect calculations. Please make the following changes outlined in red in the Calculations portion of the table: <table border="1" data-bbox="414 1549 1055 1911"> <thead> <tr> <th colspan="5">Calculations</th> </tr> <tr> <th>Tr Total Leakage (Lr x Life + Mr)</th> <th>LCGWP (GWPr x Tr x Rc)/ Life</th> <th>LCODP x 10⁵ 100,000 x (ODPr x Tr x Rc)/ Life</th> <th>Refrigerant Atmospheric Impact = LCGWP + LCODP x 10⁵</th> <th>(LCGWP + LCODP x 10⁵) x N x Qunit</th> </tr> </thead> <tbody> <tr> <td>40%</td> <td>90.72</td> <td>0</td> <td>90.7</td> <td>5443</td> </tr> <tr> <td>40%</td> <td>156.6</td> <td>352</td> <td>508.6</td> <td>1017</td> </tr> <tr> <td>30%</td> <td>112.1</td> <td>252</td> <td>364.1</td> <td>364</td> </tr> </tbody> </table>	Calculations					Tr Total Leakage (Lr x Life + Mr)	LCGWP (GWPr x Tr x Rc)/ Life	LCODP x 10 ⁵ 100,000 x (ODPr x Tr x Rc)/ Life	Refrigerant Atmospheric Impact = LCGWP + LCODP x 10 ⁵	(LCGWP + LCODP x 10 ⁵) x N x Qunit	40%	90.72	0	90.7	5443	40%	156.6	352	508.6	1017	30%	112.1	252	364.1	364
Calculations																											
Tr Total Leakage (Lr x Life + Mr)	LCGWP (GWPr x Tr x Rc)/ Life	LCODP x 10 ⁵ 100,000 x (ODPr x Tr x Rc)/ Life	Refrigerant Atmospheric Impact = LCGWP + LCODP x 10 ⁵	(LCGWP + LCODP x 10 ⁵) x N x Qunit																							
40%	90.72	0	90.7	5443																							
40%	156.6	352	508.6	1017																							
30%	112.1	252	364.1	364																							

					Subtotal:	6825	
		Average Refrigerant Atmospheric Impact					108.3
		= [Σ (LCGWP + LCODP x 10 ⁵) x Qunit] /					
		Qtotal :					
EAc4	218	In Example Calculation 2, there are incorrect calculations. Please make the following changes outlined in red in the Calculations portion of the table:					
		Tr Total Leakage (Lr x Life + Mr)	LCGWP (GWPr x Tr x Rc)/ Life	LCODP x 10 ⁵ 100,000 x (ODPr x Tr x Rc)/ Life	Refrigerant Atmospheric Impact = LCGWP + LCODP x 10⁵	(LCGWP + LCGWP x 10⁵) x N x Qunit	
		33%	37.9	0	37.9	18939	
		50%	93.5	210	303	15173	
		40%	113.9	256	369.9	18496	
					Subtotal:	52608	
		Average Refrigerant Atmospheric Impact					87.7
		= [Σ (LCGWP + LCODP x 10 ⁵) x Qunit] /					
		Qtotal :					
EAc4	218	In Calculation 3, change the Average Refrigerant Atmospheric Impact to “10 ⁵ ” instead of “105”					
EAc5	222	Under International Performance Measurement & Verification Protocol, replace the existing web link with “ www.evo-world.org/ipmvp.php ”. In the description below, replace “IPMVP” with Efficiency Valuation Organization (EVO).					
EAc5	223	Under Submittal Documentation, the first sentence should read “This credit is submitted as part of the Construction Submittal .”					
EAc6	228	<p>Before the numbered items in Approach and Implementation insert the following:</p> <p>“NOTE: The power product purchased to comply with credit requirements need not be Green-e certified, but projects are required to document to USGBC that their renewable supplier has 1) met the Green-e criteria, and 2) properly accounted for the eligible renewable resources sold. This documentation to USGBC must include some type of meaningful verification work performed by a qualified, disinterested third party.</p> <p>Example documentation methods to USGBC that meet this requirement include: a) providing a state-mandated power disclosure label from the renewable supplier in states with meaningful regulatory requirements for renewable energy disclosure and accounting practices, as well as meaningful penalties for violations; b) providing a green power scorecard or rating from a credible, independent entity that performs meaningful verification of green power characteristics and accounting practices. In either case projects must confirm that the third-party entity’s regulatory or verification programs are meaningful, summarizing those programs to USGBC as part of their certification application and highlighting any auditing or other independent checks</p>					

		the program performs. Other documentation methods will be considered on a case-by-case basis.”
MRc1	248	For clarification purposes, replace the definition of Interior Non-Structural Components Reuse to “Interior Non-Structural Components Reuse is determined by dividing the total area (sq. ft.) of retained interior, non-structural components by the total area (sq. ft.) of the interior, non-structural components included in the completed design.”
MRc2.1	249	Add to last sentence on the page, in regards to salvage materials: “(see page 251)”
MRc2	251	Insert as the last sentence of the Approach & Implementation section: “Materials salvaged and reused on-site can contribute to this credit if they are not included in Credit 3 calculations.”
MRc2	254	Under Waste Spec, replace the existing web link with “http://www.tjcog.dst.nc.us/regplan/wastspec.htm” .
MRc3	259	Revise the last sentence in the second column, first paragraph, to read “Materials contributing toward achievement of Credit 3 cannot be applied to MR Credits 1, 2, 4, 6 or 7. If MRc3 is not being attempted, applicable materials can be applied to another LEED credit if eligible.”
MRc3	262	Under Old to New, replace the existing web link with “http://www.lifecyclebuilding.org/resources/Old%20to%20New%20Design%20Guide.pdf”
MRc4	269	Within the definition of Pre-Consumer Content, third sentence, replace “this” with “the pre-consumer”
MRc7	283	In “Chain-of-Custody Requirements” section, second paragraph, delete “and all lumber”. Thus, only the manufacturer’s CoC number is needed for individually labeled lumber used in the project.
EQp2	296	Move the first sentence in bullet 5 of Option 3 to the end of the 4 th bullet on page 295.
EQp2	296	Replace the existing web link for the Residential Manual for Compliance with California’s 2001 Energy Efficiency Standard with “http://www.energy.ca.gov/title24/2001standards/residential_manual/index.html” .
EQp2	297	Replace the existing web link for Residential Manual for Compliance with California’s 2001 Energy Efficiency Standards (For Low Rise Residential Buildings), Chapter 4 with “http://www.energy.ca.gov/title24/2001standards/residential_manual/res_manual_chapter4.PDF”
EQp2	298	Replace the existing web link for Energy Rating Systems (HERS) Required Verification and Diagnostic Testing, California Low Rise Residential Alternative Calculation Method Approval Manual with “http://www.energy.ca.gov/title24/2001standards/residential_manual/res_manual_chapter4.PDF”
EQp2	298	Remove the resource “What You Can Do About Secondhand Smoke as Parents, Decision Makers, and Building Occupants”. This article no longer exists.
EQc1	304	Under Submittal Documentation, change “prerequisite” to “credit”.
EQc2	308	Change the date of The Carbon Trust Good Practice Guide 237 to “(1999)” and replace the existing web link with “http://www.carbontrust.co.uk/Publications/publicationdetail.htm?productid=GPG237&metaNoCache=1” .
EQc2	314	Under Building Air Quality Action Plan, replace the existing web link with “http://www.epa.gov/iaq/largebdgs/#Building%20Air%20Quality%20Action%20Plan” .
EQc3.1	320	Under The State of Washington (SOW) Program and IAQ Standards, replace the existing web link with “http://www.aeris.org/DesktopModules/ArticleDetail.aspx?articleId=85”
EQc4.1	335	Under Green Seal Standard 36, replace the existing web link with “http://www.greenseal.org/certification/standards/commercialadhesives.cfm” .

EQc4.1	336	Under Green Seal Standard 36, replace the existing web link with “ http://www.greenseal.org/certification/standards/commercialadhesives.cfm ”.
EQc4.2	337	Under Requirements, add to the end of the first bullet point: “Primers must meet the VOC limit for non-flat paint.”
EQc4.2	337	In the second bullet under Requirements, replace “GC-03” with “GS-03” to fix the typographical error.
EQc4.2	337	In the third bullet under Requirements, add “The following list of SCAQMD VOC limits are examples. Refer to the standards for complete details.” After the last sentence and before the sub bullets.
EQc4.2	338	Under Green Seal Standard GS-11, replace the existing web link with “ http://www.greenseal.org/certification/standards/paints.cfm ”.
EQc4.2	338	Under Green Seal Standards GC-03, replace the existing web link with http://www.greenseal.org/certification/standards/anti-corrosivepaints.cfm .
EQc4.3	341	Under Potential Technologies and Strategies, replace the existing web link for Acceptable Emissions Testing for Carpet with “ http://www.cal-iaq.org/VOC/Section01350_7_15_2004_FINAL_PLUS_ADDENDUM-2004-01.pdf ”.
EQc4.3	342	Under Testing Criteria, replace the existing web link with “ http://www.cal-iaq.org/VOC/Section01350_7_15_2004_FINAL_PLUS_ADDENDUM-2004-01.pdf ”.
EQc5	353	In the first sentence of the first bullet of the Requirements, delete “all” and add to the end of the sentence “and that serve as regular entry points for building users.” Delete the last sentence under this same bullet (“Qualifying entry ways are those that serve as regular entry points for building users.”)
EQc5	355	Under the first bullet in Submittal Documentation, replace “provided” with “specified/installed”. Under the second bullet, replace “installed” with “specified/installed”
EQc5	356	Under Green Seal, replace the existing web link with “ http://www.greenseal.org/findaproduct/index.cfm#cleaners ”.
EQc5	356	Under Janitorial Products Pollution Prevention Project, replace the existing web link with “ http://www.westp2net.org/janitorial/jp4.cfm ”.
EQc6.1	360	Under Do Green Buildings Enhance the Well-Being of Workers? Yes, replace the existing web link with “ http://www.edcmag.com/CDA/Archives/fb077b7338697010VgnVCM100000f932a8c0 ”.
		At the end of the description add “This article requires free registration to Environmental Design + Construction.”
EQc6.2	364	Under Do Green Buildings Enhance the Well-Being of Workers? Yes, replace the existing web link with “ http://www.edcmag.com/CDA/Archives/fb077b7338697010VgnVCM100000f932a8c0 ”.
		At the end of the description add “This article requires free registration to Environmental Design + Construction.”
EQc8.1	380	Under The Art of Daylighting, replace the existing web link with “ http://www.edcmag.com/CDA/Archives/10e5869a47697010VgnVCM100000f932a8c0 ”.
		At the end of the description add “This article requires free registration to Environmental Design + Construction.”
EQc8.1	380	Under New Buildings Institute’s Productivity and Building Science Program, replace the existing web link with “ http://newbuildings.org/lighting.htm ”.
EQc8.1	380	Under The Whole Building Design Guide, Daylighting, replace the existing web link with “ http://www.wbdg.org/design/daylighting.php ”.
EQc8.1	380	Under Lighting Controls, replace the existing web link with “ http://www.wbdg.org/design/electricalighting.php ”.
EQc8.2	387	Under New Buildings Institute’s Productivity and Building Science Program, replace the existing web link with “ http://newbuildings.org/lighting.htm ”.
EQc8.2	387	Under The Art of Daylighting, replace the existing web link with “ http://www.edcmag.com/CDA/Archives/10e5869a47697010VgnVCM100000f932a8c0 ”.

		At the end of the description add “This article requires free registration to Environmental Design + Construction.”
EQc8.2	387	Under The Whole Building Design Guide, Daylighting, replace the existing web link with “ http://www.wbdg.org/design/daylighting.php ”.
EQc8.2	387	Under Lighting Controls, replace the existing web link with “ http://www.wbdg.org/design/electriclighting.php ”.
Glossary	408	Under Net Metering, replace the existing web link with “ http://www.eere.energy.gov/greenpower/markets/netmetering.shtml ”.