



LEED ND: Built Project | v3 - LEED 2009

Solid waste management infrastructure

GIBC16 | Possible 1 point

Glossary

Intent

To reduce the volume of waste deposited in landfills. To promote the proper disposal of hazardous wastes.

Requirements

Meet at least four of the following five requirements and publicize their availability and benefits:

- a. Include as part of the project at least one recycling or reuse station, available to all project occupants, dedicated to the separation, collection, and storage of materials for recycling; or locate the project in a local government jurisdiction that provides recycling services. The recyclable materials must include, at a minimum, paper, corrugated cardboard, glass, plastics and metals.
- b. Include as part of the project at least one drop-off point, available to all project occupants, for potentially hazardous office or household wastes; or locate the project in a local government jurisdiction that provides collection services. Examples of potentially hazardous wastes include paints, solvents, oil, and batteries. If a plan for postcollection disposal or use does not exist, establish one.
- c. Include as part of the project at least one compost station or location, available to all project occupants, dedicated to the collection and composting of food and yard wastes; or locate the project in a local government jurisdiction that provides composting services. If a plan for postcollection use does not exist, establish one.
- d. On every mixed-use or nonresidential block or at least every 800 feet (245 meters), whichever is shorter, include recycling containers adjacent to other receptacles or recycling containers integrated into the design of the receptacle.
- e. Recycle and/or salvage at least 50% of nonhazardous construction and demolition debris. Develop and implement a construction waste management plan that, at a minimum, identifies the materials to be diverted from disposal and specifies whether the materials will be stored on-site or commingled. Excavated soil and land-clearing debris do not contribute to this credit. Calculations can be done by weight or volume but must be consistent throughout.