



DOCUMENT ADDENDA

For the documents titled: **LEED 2009 for Core & Shell Development Rating System** (February 2011)

Note: This document contains addenda to the rating system listed above and will be published on a quarterly basis beginning in April 2010. For more information, visit the USGBC website <http://www.usgbc.org/addenda>.

Page	Location	Credit	Credit Title	Issue	Post Date
34	OPTION 3	EAp2	Minimum Energy Performance	Remove the third and fourth bullet of the section: <ul style="list-style-type: none"> Office, school, public assembly, and retail projects less than 100,000 square feet must comply with Section 1 and Section 2 of the Core Performance Guide. Other project types less than 100,000 square feet implement the basic requirements of the Core Performance Guide. 	2/2/2011
36	Requirements	EAp3	Fundamental Refrigerant Management	Add the following text as a second paragraph in the section: Existing small HVAC units (defined as containing less than 0.5 pounds of refrigerant) and other equipment, such as standard refrigerators, small water coolers and any other equipment that contains less than 0.5 pounds of refrigerant, are not considered part of the base building system and are not subject to the requirements of this prerequisite.	2/2/2011
45	Requirements	EAc5.1	Measurement and Verification – Base Building	Add the following option after OPTION 2: OR OPTION 3 (1 point) Meet MPR 6 through compliance Option1: Energy and Water Data Release Form. Projects must register an account in ENERGY STAR's Portfolio Manager tool and share the project file with the USGBC master account.	2/2/2011
79	PATH 3	IDc1	Innovation in Design	In the header, change “(1 point)” to “(1 – 5 Points)”	2/2/2011
79	PATH 3	IDc1	Innovation in Design	Replace the last sentence of the paragraph with “Projects may pursue up to 5 Pilot Credits total.”	2/2/2011

Note: The online version of the Rating System (<http://www.usgbc.org/ShowFile.aspx?DocumentID=7247>) takes precedent over the Rating System portions of the LEED Reference Guides in project guidance and application; project teams are required to adhere to the Rating System and Rating System addenda in accordance with the project's registration date.