



- [WEc2.2 | Additional indoor plumbing fixture and fitting efficiency](#)
- [WEc2.3 | Additional indoor plumbing fixture and fitting efficiency](#)
- [WEc3 | Water use reduction](#)
- [WEc3 | Water use reduction](#)
- [WEc3 | Water use reduction](#)
- [WEc3 | Water use reduction](#)
- [WEc3 | Indoor water use](#)
- [WEc3 | Water efficient landscaping](#)
- [WEc3 | Outdoor water use](#)
- [WEc3 | Water use reduction](#)
- [WEc3 | Water use reduction](#)
- [WEc3.1 | Water use reduction - 20% reduction](#)
- [WEc3.1 | Water efficient landscaping](#)
- [WEc3.1 | Water use reduction](#)
- [WEc3.1 | Water use reduction - 20% reduction](#)
- [WEc3.1 | Water use reduction - 20% reduction](#)
- [WEc3.1 | Water use reduction - 20% reduction](#)
- [WEc3.1 | Water use reduction: 20% reduction](#)
- [WEc3.1-3.2 | Water use reduction](#)
- [WEc3.2 | Water use reduction - 30% reduction](#)
- [WEc3.2 | Water use reduction - 30% or 40% reduction](#)
- [WEc3.2 | Water use reduction - 30% reduction](#)
- [WEc3.2 | Water use reduction - 30% reduction](#)
- [WEc3.2 | Water use reduction](#)
- [WEc3.2 | Water efficient landscaping](#)
- [WEc3.2 | Water use reduction: 30% Reduction](#)
- [WEc3.3 | Water efficient landscaping](#)
- [WEc4 | Cooling tower water management](#)
- [WEc4 | Process water use reduction](#)
- [WEc4 | Process water use reduction](#)
- [WEc4.1 | Water use reduction - building equipment](#)
- [WEc4.1 | Cooling tower water management](#)
- [WEc4.2 | Water use reduction - cooling towers](#)
- [WEc4.2 | Cooling tower water management](#)
- [WEc4.3 | Water use reduction - food waste systems](#)
- [WEp1 | Water use reduction](#)
- [WEp1 | Water use reduction](#)
- [WEp1 | Minimum indoor plumbing fixture and fitting efficiency](#)
- [WEp1 | Water use reduction](#)
- [WEp1 | Water use reduction](#)
- [WEp1 | Water use reduction](#)
- [WEp1 | Water use reduction](#)
- [WEp1 | Minimum indoor plumbing fixture and fitting efficiency](#)
- [WEp1 | Minimum water efficiency](#)
- [WEp1 | Water metering](#)
- [WEp1 | Water use reduction](#)
- [WEp1 | Water use reduction](#)
- [WEp2 | Discharge water compliance](#)
- [WEp2 | Minimize potable water use for medical equipment cooling](#)
- [WEp2 | Discharge water compliance](#)



Our "watch" feature allows you to stay current on all aspects of this specific credit. In your account, you can control what you get updated on and how you receive your notifications. [Hide](#)

**LEED O+M: Schools | v4 - LEED v4**

# Water metering

## Possible 2 points

1 result in All .

- [Glossary](#)

### Intent

To support water management and identify opportunities for additional water savings by tracking water consumption.

### Requirements

#### Establishment

Establish permanently installed meters; 1 point for two water subsystems, 2 points for four or more water subsystems:

- Irrigation. Meter water systems serving at least 80% of the irrigated landscaped area. Calculate the percentage of irrigated landscape area as the total metered irrigated landscape area divided by the total irrigated landscape area. Landscape areas fully covered with [xeriscaping](#) or [native vegetation](#) that requires no routine irrigation may be excluded from the calculation.
- Indoor plumbing fixtures and fittings. Meter water systems serving at least 80% of the indoor plumbing fixtures and fittings listed in WE Prerequisite Indoor Water-Use Reduction, either directly or by deducting all other measured water use from the measured total water consumption of the building and grounds,
- Cooling towers. Meter replacement water use of all cooling towers serving the facility.
- Domestic hot water. Meter water use of at least 80% of the installed domestic hot water heating capacity (including both tanks and on-demand heaters).
- Reclaimed water. Meter [reclaimed water](#), regardless of rate. A reclaimed water system with a [makeup water](#) connection must also be metered so that the true reclaimed water component can be determined.
- Other [process water](#). Meter at least 80% of expected daily water consumption for process end uses, such as humidifiers, dishwashers, clothes washers, and pools.

### Performance

All meters, including whole-building meter, must be recorded at least weekly and used in a regular analysis of time trends.

Meters must be calibrated within the manufacturer's recommended interval if the building owner, management organization, or tenant owns the meter. Meters owned by third parties (e.g., utilities or governments) are exempt.

0 comments [Leave a comment](#)

Leave a comment Don't have an account? [Create one](#)

You must be signed in to leave a comment.

Email

Password

SIGN IN