

- [EQ118 | Interior lighting](#)
- [EQ119 | Interior lighting](#)
- [EQ120 | Interior lighting](#)
- [EQ120 | Interior lighting](#)
- [EQ121 | Daylight](#)
- [EQ121 | Daylight](#)
- [EQ121 | Daylight](#)
- [EQ121 | Daylight](#)
- [EQ121 | Daylight](#)
- [EQ122 | Daylight and quality views](#)
- [EQ122 | Daylight and quality views](#)
- [EQ123 | Quality views](#)
- [EQ123 | Quality Views](#)
- [EQ123 | Quality Views](#)
- [EQ123 | Quality views](#)
- [EQ123 | Quality views](#)
- [EQ124 | Acoustic performance](#)
- [EQ124 | Acoustic performance](#)
- [EQ125 | Green cleaning - custodial effectiveness assessment](#)
- [EQ126 | Green cleaning - products and materials](#)
- [EQ127 | Green cleaning - equipment](#)
- [EQ128 | Integrated pest management](#)
- [EQ129 | Occupant comfort survey](#)
- [EQ131 | Acoustic Performance](#)
- [EQ2.1 | Construction indoor air quality management plan](#)
- [EQ2.2 | Construction indoor air quality assessment](#)
- [EQ3.1 | High performance green cleaning program](#)
- [EQ3.2 | Custodial effectiveness assessment](#)
- [EQ3.3 | Sustainable purchasing of cleaning products and materials](#)
- [EQ3.4 | Sustainable purchasing of cleaning equipment](#)
- [EQ3.5 | Indoor chemical and pollutant source control](#)
- [EQ3.6 | Indoor integrated pest management](#)
- [EQ4 | Low-emitting interiors](#)
- [EQ5.1 | Occupant comfort survey](#)
- [EQ5.2 | Documenting productivity impacts](#)
- [EQ6.1 | Thermal comfort - design](#)
- [EQ6.2 | Thermal comfort - controllability](#)
- [EQ6.3 | Thermal comfort - verification](#)
- [EQ6.4 | Mold prevention](#)
- [EQ7.1 | Interior lighting - design](#)
- [EQ7.2 | Interior lighting - controllability](#)
- [EQ8 | Daylight](#)
- [EQ9 | Quality views](#)
- [EQ907 | Acoustic performance](#)
- [EQc1 | Outdoor air delivery monitoring](#)
- [EQc1 | EPA Indoor airPLUS](#)
- [EQc1 | Outdoor air delivery monitoring](#)
- [EQc1 | Outdoor air delivery monitoring](#)
- [EQc1 | Outdoor air delivery monitoring](#)
- [EQc1 | Outdoor air delivery monitoring](#)
- [EQc1 | Outdoor air delivery monitoring](#)
- [EQc1 | Carbon dioxide \(CO2\) monitoring](#)
- [EQc1 | Carbon dioxide \(CO2\) monitoring](#)
- [EQc1 | Outdoor air delivery monitoring](#)
- [EQc1 | Enhanced ventilation](#)
- [EQc1 | Outdoor air delivery monitoring](#)
- [EQc1 | Outdoor air delivery monitoring](#)
- [EQc1 | Outdoor air delivery monitoring](#)
- [EQc1.1 | Indoor air quality best management practices - indoor air quality management program](#)
- [EQc1.1 | IAQ best management practices - IAQ management program](#)
- [EQc1.2 | Indoor air quality best management practices - outdoor air delivery monitoring](#)
- [EQc1.2 | IAQ best management practices - outdoor air delivery monitoring](#)
- [EQc1.3 | Indoor air quality best management practices - increased ventilation](#)
- [EQc1.3 | IAQ best management practices - increased ventilation](#)
- [EQc1.4 | Indoor air quality best management practices - reduce particulates in air distribution](#)
- [EQc1.4 | IAQ best management practices - reduce particulates in air distribution](#)
- [EQc1.5 | Indoor air quality best management practices - indoor air quality management for facility additions and alterations](#)
- [EQc1.5 | IAQ best management practices - management for facility alterations and additions](#)
- [EQc10 | Garage pollutant protection](#)
- [EQc10 | Mold prevention](#)
- [EQc10 | Mold prevention](#)
- [EQc10.1 | Green cleaning - entryway systems](#)
- [EQc10.2 | Green cleaning - isolation of janitorial closets](#)
- [EQc10.3 | Green cleaning - low environmental impact cleaning policy](#)
- [EQc10.4 | Green cleaning - low environmental impact pest management policy](#)
- [EQc10.5 | Green cleaning - low environmental impact pest management policy](#)
- [EQc10.6 | Green cleaning - low environmental impact cleaning equipment policy](#)
- [EQc2 | Increased ventilation](#)
- [EQc2 | Combustion venting](#)
- [EQc2 | Acoustic environment](#)
- [EQc2 | Increased ventilation](#)
- [EQc2 | Increased ventilation](#)
- [EQc2 | Increased ventilation](#)
- [EQc2 | Increased ventilation](#)
- [EQc2 | Increased ventilation](#)
- [EQc2 | Increased ventilation](#)
- [EQc2 | Ventilation effectiveness](#)
- [EQc2 | Increase ventilation effectiveness](#)
- [EQc2 | Contaminant control](#)
- [EQc2 | Contaminant control](#)
- [EQc2 | Increased ventilation](#)
- [EQc2 | Increased ventilation](#)
- [EQc2 | Increased ventilation](#)
- [EQc2.1 | Occupant comfort - occupant survey](#)
- [EQc2.1 | Occupant comfort - occupant survey](#)
- [EQc2.2 | Controllability of systems - lighting](#)

- [EQc2.2 | Occupant comfort - occupant-controlled lighting](#)
- [EQc2.3 | Occupant comfort - thermal comfort monitoring](#)
- [EQc2.3 | Occupant comfort - thermal comfort monitoring](#)
- [EQc2.4 | Daylight and views](#)
- [EQc2.4 | Occupant comfort - daylight and views](#)
- [EQc2.5 | Occupant comfort - daylight and views](#)
- [EQc3 | Moisture control](#)
- [EQc3 | Construction IAQ management plan - during construction](#)
- [EQc3 | Construction IAQ management plan](#)
- [EQc3 | Construction IAQ management plan - during construction](#)
- [EQc3 | Balancing of heating and cooling distribution systems](#)
- [EQc3 | Construction IAQ management plan - during construction](#)
- [EQc3.1 | Green cleaning - high performance green cleaning program](#)
- [EQc3.1 | Construction IAQ management plan - during construction](#)
- [EQc3.1 | Construction IAQ management plan - during construction](#)
- [EQc3.1 | Construction IAQ management plan - during construction](#)
- [EQc3.1 | Construction IAQ management plan - during construction](#)
- [EQc3.1 | Construction IAQ management plan - during construction](#)
- [EQc3.1 | Construction IAQ management plan - during construction](#)
- [EQc3.1 | Green cleaning - high-performance cleaning program](#)
- [EQc3.1 | Construction IAQ management plan - during construction](#)
- [EQc3.1 | Construction IAQ management plan: during construction](#)
- [EQc3.1 | Construction IAQ management plan - during construction](#)
- [EQc3.1 | Construction IAQ management plan - during construction](#)
- [EQc3.1 | Construction IAQ management plan: during construction](#)
- [EQc3.1 | Construction IAQ management plan, during construction](#)
- [EQc3.1 | Construction IAQ management plan - during construction](#)
- [EQc3.2 | Green cleaning - custodial effectiveness assessment](#)
- [EQc3.2 | Construction IAQ management plan - before occupancy](#)
- [EQc3.2 | Construction IAQ management plan - before occupancy](#)
- [EQc3.2 | Construction IAQ management plan - before occupancy](#)
- [EQc3.2 | Construction IAQ management plan - before occupancy](#)
- [EQc3.2 | Construction IAQ management plan - before occupancy](#)
- [EQc3.2 | Construction IAQ management plan - before occupancy](#)
- [EQc3.2 | Construction IAQ management plan - before occupancy](#)
- [EQc3.2 | Green cleaning - custodial effectiveness assessment](#)
- [EQc3.2 | Construction IAQ management plan - before occupancy](#)
- [EQc3.2 | Construction IAQ management plan: before occupancy](#)
- [EQc3.2 | Construction IAQ management plan - after construction](#)
- [EQc3.2 | Construction IAQ management plan - after construction](#)
- [EQc3.2 | Construction IAQ management plan: before occupancy](#)
- [EQc3.2 | Construction IAQ management plan - before occupancy](#)
- [EQc3.3 | Green cleaning - purchase of sustainable cleaning products and materials](#)
- [EQc3.3 | Green cleaning - custodial effectiveness assessment](#)
- [EQc3.4 | Green cleaning - sustainable cleaning equipment](#)
- [EQc3.4 | Green cleaning - purchase of sustainable cleaning products and materials](#)
- [EQc3.5 | Green cleaning - indoor chemical and pollutant source control](#)
- [EQc3.5 | Green cleaning - purchase of sustainable cleaning products and materials](#)
- [EQc3.6 | Green cleaning - indoor integrated pest management](#)
- [EQc3.6 | Green cleaning - purchase of sustainable cleaning products and materials](#)
- [EQc3.7 | Green cleaning - sustainable cleaning equipment](#)
- [EQc3.8 | Green cleaning - entryway systems](#)
- [EQc3.9 | Green cleaning - indoor integrated pest management](#)
- [EQc4 | Outdoor air ventilation](#)
- [EQc4 | Low-emitting materials](#)
- [EQc4 | Low-emitting materials](#)
- [EQc4 | Low-emitting materials](#)
- [EQc4 | Low-emitting materials](#)
- [EQc4 | Enhanced compartmentalization](#)
- [EQc4 | Enhanced compartmentalization](#)
- [EQc4 | Low-emitting materials](#)
- [EQc4 | Low-emitting materials, adhesives and sealants](#)
- [EQc4.1 | Low-emitting materials - adhesives and sealants](#)
- [EQc4.1 | Low-emitting materials - adhesives and sealants](#)
- [EQc4.1 | Low-emitting materials - adhesives and sealants](#)
- [EQc4.1 | Low-emitting materials - adhesives and sealants](#)
- [EQc4.1 | Documenting productivity impacts - absenteeism and health care cost impacts](#)
- [EQc4.1 | Low-emitting materials - adhesives and sealants](#)
- [EQc4.1 | Low-emitting materials - adhesives and sealants](#)
- [EQc4.1 | Low-emitting materials - adhesives and sealants](#)
- [EQc4.1 | Low-emitting materials - adhesives and sealants](#)
- [EQc4.2 | Low-emitting materials - paints and coatings](#)
- [EQc4.2 | Low-emitting materials - paints and coatings](#)
- [EQc4.2 | Low-emitting materials - paints and coatings](#)
- [EQc4.2 | Documenting productivity impacts - other productivity impacts](#)
- [EQc4.2 | Low-emitting materials - paints and coatings](#)
- [EQc4.2 | Low-emitting materials - paints and coatings](#)
- [EQc4.2 | Low-emitting materials - paints and coatings](#)
- [EQc4.2 | Low-emitting materials - paints and coatings](#)
- [EQc4.2 | Low-emitting materials - paints and coatings](#)
- [EQc4.3 | Low-emitting materials - flooring systems](#)
- [EQc4.3 | Low-emitting materials - carpet systems](#)
- [EQc4.3 | Low-emitting materials - carpet systems](#)
- [EQc4.3 | Low-emitting materials - carpet systems](#)
- [EQc4.3 | Low-emitting materials - carpet](#)
- [EQc4.3 | Low-emitting materials - carpet systems](#)
- [EQc4.3 | Low-emitting materials - carpet systems](#)
- [EQc4.3 | Low-emitting materials - flooring systems](#)
- [EQc4.4 | Low-emitting materials - composite wood and agrifiber products](#)
- [EQc4.4 | Low-emitting materials - composite wood and agrifiber products](#)
- [EQc4.4 | Low-emitting materials - composite wood and agrifiber products](#)
- [EQc4.4 | Low-emitting materials - composite wood and agrifiber products](#)
- [EQc4.4 | Low-emitting materials - composite wood and laminate adhesives](#)
- [EQc4.4 | Low-emitting materials - composite wood and agrifiber products](#)
- [EQc4.4 | Low-emitting materials - composite wood](#)
- [EQc4.4 | Low-emitting materials - composite wood](#)
- [EQc4.4 | Low-emitting materials - composite wood and agrifiber products](#)

- o [EQp4.2 | Polychlorinated biphenyl removal](#)
- o [EQp5 | Air filtering](#)
- o [EQp6 | Environmental tobacco smoke](#)
- o [EQp7 | Compartmentalization](#)
- o [MEQc10 | Garage pollutant protection](#)
- o [MEQc11 | Environmental tobacco smoke \(ETS\) control in mid-rise buildings](#)
- o [MEQc12 | Compartmentalization of units in mid-rise buildings](#)
- o [MEQc2 | Combustion venting in mid-rise buildings](#)
- o [MEQc4 | Outdoor air ventilation in mid-rise buildings](#)
- o [MEQc5 | Local exhaust in mid-rise buildings](#)
- o [MEQc8 | Contaminant control in mid-rise buildings](#)



Our "watch" feature allows you to stay current on all aspects of this specific credit. In your account, you can control what you get updated on and how you receive your notifications. [Hide](#)

| v4 - LEED v4

Environmental Tobacco Smoke Control

Required

1 result in All .

- [Glossary](#)

Intent

To prevent or minimize exposure of building occupants, indoor surfaces, and ventilation air distribution systems to environmental tobacco smoke.

Requirements

Establishment

Prohibit smoking in the building.

Prohibit smoking outside the building except in designated smoking areas located at least 25 feet (7.5 meters) from all entries, outdoor air intakes, and operable windows. Also prohibit smoking outside the property line in spaces used for business purposes.

If the requirement to prohibit smoking within 25 feet (7.5 meters) cannot be implemented because of code, provide documentation of these regulations.

Signage must be posted within 10 feet (3 meters) of all building entrances indicating the no smoking policy.

Residential only

Option 1. No Smoking

Meet the requirements above.

OR

Option 2. Compartmentalization of Smoking Areas

Prohibit smoking in all common areas of the building. The prohibition must be communicated in building rental or lease agreements or condo or coop association covenants and restrictions. Make provisions for enforcement.

Prohibit smoking outside the building except in designated smoking areas located at least 25 feet (7.5 meters) from all entries, outdoor air intakes, and operable windows. The no-smoking policy also applies to spaces outside the property line used for business purposes.

If the requirement to prohibit smoking within 25 feet (7.5 meters) cannot be implemented because of code, provide documentation of these regulations.

Signage must be posted within 10 feet (3 meters) of all building entrances indicating the no-smoking policy.

Each unit must be compartmentalized to prevent excessive leakage between units:

- Weather-strip all exterior doors and operable windows in the residential units to minimize leakage from outdoors.
- Weather-strip all doors leading from residential units into common hallways.
- Minimize uncontrolled pathways for the transfer of smoke and other indoor air pollutants between residential units by sealing penetrations in the walls, ceilings, and floors and by sealing vertical chases (including utility chases, garbage chutes, mail drops, and elevator shafts) adjacent to the units.
- Demonstrate a maximum leakage of 0.50 cubic feet per minute per square foot (2.54 liters per second per square meter) at 50 Pa of [enclosure](#) (i.e., all surfaces enclosing the apartment, including exterior and party walls, floors, and ceilings) or establish a baseline for a future 30% improvement.

Performance

None.

Residential only

Demonstrate on a regular basis (at least once every five years) a maximum leakage of 0.50 cubic feet per minute per square foot (2.54 liters per second per square meter) at 50 Pa of [enclosure](#) (i.e., all surfaces enclosing the apartment, including exterior and party walls, floors, and ceilings).

Projects that do not meet the leakage requirement may demonstrate a 30% improvement over the most recent baseline. The current measurement establishes the new baseline.

0 comments [Leave a comment](#)

Leave a comment [Don't have an account? Create one](#)

You must be signed in to leave a comment.

Email

Password

