

- [EQ117 | Interior lighting](#)
- [EQ118 | Interior lighting](#)
- [EQ119 | Interior lighting](#)
- [EQ120 | Interior lighting](#)
- [EQ120 | Interior lighting](#)
- [EQ121 | Daylight](#)
- [EQ121 | Daylight](#)
- [EQ121 | Daylight](#)
- [EQ121 | Daylight](#)
- [EQ122 | Daylight and quality views](#)
- [EQ122 | Daylight and quality views](#)
- [EQ122 | Daylight and quality views](#)
- [EQ123 | Quality views](#)
- [EQ124 | Acoustic performance](#)
- [EQ124 | Acoustic performance](#)
- [EQ125 | Green cleaning - custodial effectiveness assessment](#)
- [EQ126 | Green cleaning - products and materials](#)
- [EQ127 | Green cleaning - equipment](#)
- [EQ128 | Integrated pest management](#)
- [EQ129 | Occupant comfort survey](#)
- [EQ131 | Acoustic Performance](#)
- [EQ2.1 | Construction indoor air quality management plan](#)
- [EQ2.2 | Construction indoor air quality assessment](#)
- [EQ3.1 | High performance green cleaning program](#)
- [EQ3.2 | Custodial effectiveness assessment](#)
- [EQ3.3 | Sustainable purchasing of cleaning products and materials](#)
- [EQ3.4 | Sustainable purchasing of cleaning equipment](#)
- [EQ3.5 | Indoor chemical and pollutant source control](#)
- [EQ3.6 | Indoor integrated pest management](#)
- [EQ4 | Low-emitting interiors](#)
- [EQ5.1 | Occupant comfort survey](#)
- [EQ5.2 | Documenting productivity impacts](#)
- [EQ6.1 | Thermal comfort - design](#)
- [EQ6.2 | Thermal comfort - controllability](#)
- [EQ6.3 | Thermal comfort - verification](#)
- [EQ6.4 | Mold prevention](#)
- [EQ7.1 | Interior lighting - design](#)
- [EQ7.2 | Interior lighting - controllability](#)
- [EQ8 | Daylight](#)
- [EQ9 | Quality views](#)
- [EQ907 | Acoustic performance](#)
- [EQc1 | EPA Indoor airPLUS](#)
- [EQc1 | Outdoor air delivery monitoring](#)
- [EQc1 | Carbon dioxide \(CO2\) monitoring](#)
- [EQc1 | Carbon dioxide \(CO2\) monitoring](#)
- [EQc1 | Outdoor air delivery monitoring](#)
- [EQc1 | Enhanced ventilation](#)
- [EQc1 | Outdoor air delivery monitoring](#)
- [EQc1.1 | Indoor air quality best management practices - indoor air quality management program](#)
- [EQc1.1 | IAQ best management practices - IAQ management program](#)
- [EQc1.2 | Indoor air quality best management practices - outdoor air delivery monitoring](#)
- [EQc1.2 | IAQ best management practices - outdoor air delivery monitoring](#)
- [EQc1.3 | Indoor air quality best management practices - increased ventilation](#)
- [EQc1.3 | IAQ best management practices - increased ventilation](#)
- [EQc1.4 | Indoor air quality best management practices - reduce particulates in air distribution](#)
- [EQc1.4 | IAQ best management practices - reduce particulates in air distribution](#)
- [EQc1.5 | Indoor air quality best management practices - indoor air quality management for facility additions and alterations](#)
- [EQc1.5 | IAQ best management practices - management for facility alterations and additions](#)
- [EQc10 | Garage pollutant protection](#)
- [EQc10 | Mold prevention](#)
- [EQc10 | Mold prevention](#)
- [EQc10.1 | Green cleaning - entryway systems](#)
- [EQc10.2 | Green cleaning - isolation of janitorial closets](#)
- [EQc10.3 | Green cleaning - low environmental impact cleaning policy](#)
- [EQc10.4 | Green cleaning - low environmental impact pest management policy](#)
- [EQc10.5 | Green cleaning - low environmental impact pest management policy](#)
- [EQc10.6 | Green cleaning - low environmental impact cleaning equipment policy](#)
- [EQc2 | Combustion venting](#)
- [EQc2 | Acoustic environment](#)
- [EQc2 | Increased ventilation](#)
- [EQc2 | Ventilation effectiveness](#)
- [EQc2 | Increase ventilation effectiveness](#)
- [EQc2 | Increased ventilation](#)
- [EQc2 | Increased ventilation](#)
- [EQc2 | Contaminant control](#)
- [EQc2 | Contaminant control](#)
- [EQc2 | Increased ventilation](#)
- [EQc2 | Increased ventilation](#)
- [EQc2.1 | Occupant comfort - occupant survey](#)

- [EQc4.4 | Low-emitting materials - composite wood and agrifiber products](#)
- [EQc4.4 | Low-emitting materials - composite wood and agrifiber products](#)
- [EQc4.5 | Low-emitting materials - systems furniture and seating](#)
- [EQc4.5 | Low-emitting materials - systems furniture and seating](#)
- [EQc4.5 | Low-emitting materials - furniture](#)
- [EQc4.6 | Low-emitting materials - ceiling and wall systems](#)
- [EQc5 | Local exhaust](#)
- [EQc5 | Indoor chemical and pollutant source control](#)
- [EQc5 | Indoor chemical and pollutant source control](#)
- [EQc5 | Indoor chemical and pollutant source control](#)
- [EQc5 | Indoor chemical & pollutant source control](#)
- [EQc5 | Indoor chemical and pollutant source control](#)
- [EQc5 | Indoor chemical and pollutant source control](#)
- [EQc5 | Indoor chemical and pollutant source control](#)
- [EQc5 | Indoor chemical & pollutant source control](#)
- [EQc5 | Indoor chemical and pollutant source control](#)
- [EQc5 | Enhanced combustion venting](#)
- [EQc5 | Enhanced combustion venting](#)
- [EQc5 | Indoor chemical and pollutant source control](#)
- [EQc5 | Indoor chemical and pollutant source control](#)
- [EQc5 | Indoor chemical and pollutant source control](#)
- [EQc5 | Indoor chemical and pollutant source control](#)
- [EQc5 | Indoor chemical and pollutant source control](#)
- [EQc5 | Indoor chemical and pollutant source control](#)
- [EQc5 | Indoor chemical and pollutant source control](#)
- [EQc5.1 | Indoor chemical and pollutant source control - non-cleaning system reduce particulates in air distribution](#)
- [EQc5.2 | Indoor chemical and pollutant source control - non-cleaning - isolation of high-volume copying/print rooms/fax stations](#)
- [EQc6 | Controllability of systems - thermal comfort](#)
- [EQc6 | Distribution of space heating and cooling](#)
- [EQc6 | Controllability of systems - thermal comfort](#)
- [EQc6 | Controllability of systems - lighting and thermal comfort](#)
- [EQc6 | Controllability of systems, lighting and thermal comfort](#)
- [EQc6 | Enhanced garage pollutant protection](#)
- [EQc6 | Enhanced garage pollutant protection](#)
- [EQc6 | Controllability of systems - thermal comfort](#)
- [EQc6.1 | Controllability of systems - lighting](#)
- [EQc6.1 | Lighting system design & controllability](#)
- [EQc6.1 | Controllability of systems - perimeter spaces](#)
- [EQc6.1 | Controllability of systems - perimeter spaces](#)
- [EQc6.1 | Controllability of systems: lighting and thermal comfort](#)
- [EQc6.1 | Controllability of systems - lighting](#)
- [EQc6.2 | Controllability of systems - thermal comfort](#)
- [EQc6.2 | Controllability of systems - temperature and ventilation](#)
- [EQc6.2 | Controllability of systems - temperature and ventilation](#)
- [EQc6.2 | Thermal comfort controllability](#)
- [EQc6.2 | Controllability of systems - non-perimeter spaces](#)
- [EQc6.2 | Controllability of systems - non-perimeter spaces](#)
- [EQc6.2 | Controllability of systems - thermal comfort](#)
- [EQc6.2 | Controllability of systems - thermal comfort](#)
- [EQc6.2 | Controllability of systems - thermal comfort](#)
- [EQc6.2 | Controllability of systems - thermal comfort](#)
- [EQc6.2 | Controllability of systems - thermal comfort](#)
- [EQc7 | Air filtering](#)
- [EQc7 | Thermal comfort - design](#)
- [EQc7 | Thermal comfort - design](#)
- [EQc7 | Thermal comfort - design and verification](#)
- [EQc7 | Low-emitting products](#)
- [EQc7 | Low-emitting products](#)
- [EQc7 | Thermal comfort - design](#)
- [EQc7.1 | Thermal comfort - design](#)
- [EQc7.1 | Thermal comfort - design](#)
- [EQc7.1 | Thermal comfort - compliance](#)
- [EQc7.1 | Thermal comfort - compliance](#)
- [EQc7.1 | Thermal comfort: design](#)
- [EQc7.1 | Thermal comfort - compliance with ASHRAE 55-1992](#)
- [EQc7.1 | Thermal comfort - compliance with ASHRAE 55-1992](#)
- [EQc7.1 | Thermal comfort: design](#)
- [EQc7.1 | Thermal comfort, compliance](#)
- [EQc7.1 | Thermal comfort - design](#)
- [EQc7.1 | Thermal comfort - design](#)
- [EQc7.1 | Thermal comfort - design](#)
- [EQc7.2 | Thermal comfort - verification](#)
- [EQc7.2 | Thermal comfort - employee verification](#)
- [EQc7.2 | Thermal comfort - verification](#)
- [EQc7.2 | Thermal comfort - monitoring](#)
- [EQc7.2 | Thermal comfort - permanent monitoring system](#)
- [EQc7.2 | Thermal comfort: verification](#)
- [EQc7.2 | Thermal comfort - permanent monitoring system](#)
- [EQc7.2 | Thermal comfort - permanent monitoring system](#)
- [EQc7.2 | Thermal comfort - verification](#)
- [EQc7.2 | Thermal comfort - verification](#)
- [EQc7.2 | Thermal comfort - employee verification](#)
- [EQc7.2 | Thermal comfort: employee verification](#)
- [EQc7.2 | Thermal comfort, employee verification](#)
- [EQc7.2 | Thermal comfort - verification](#)
- [EQc8 | Contaminant control](#)
- [EQc8 | No environmental tobacco smoke](#)
- [EQc8.1 | Daylight and views - daylight](#)

- o [EQp4 | Radon-resistant construction](#)
- o [EQp4.1 | Asbestos removal or encapsulation](#)
- o [EQp4.1 | Hazardous material removal or encapsulation](#)
- o [EQp4.2 | Polychlorinated biphenyl removal](#)
- o [EQp5 | Air filtering](#)
- o [EQp6 | Environmental tobacco smoke](#)
- o [EQp7 | Compartmentalization](#)
- o [MEQc10 | Garage pollutant protection](#)
- o [MEQc11 | Environmental tobacco smoke \(ETS\) control in mid-rise buildings](#)
- o [MEQc12 | Compartmentalization of units in mid-rise buildings](#)
- o [MEQc2 | Combustion venting in mid-rise buildings](#)
- o [MEQc4 | Outdoor air ventilation in mid-rise buildings](#)
- o [MEQc5 | Local exhaust in mid-rise buildings](#)
- o [MEQc8 | Contaminant control in mid-rise buildings](#)

 Our "watch" feature allows you to stay current on all aspects of this specific credit. In your account, you can control what you get updated on and how you receive your notifications. [Hide](#)

LEED BD+C: New Construction | v4 - LEED v4

Thermal comfort

Possible 1 point

1 result in All .

- [Glossary](#)

Intent

To promote occupants' productivity, comfort, and well-being by providing quality thermal comfort.

Requirements

Meet the requirements for both thermal comfort design and thermal comfort control.

Thermal comfort design

Option 1. ASHRAE Standard 55-2010

Design heating, ventilating, and air-conditioning (HVAC) systems and the building envelope to meet the requirements of ASHRAE Standard 55–2010, Thermal Comfort Conditions for Human Occupancy, with errata or a local equivalent.

For natatoriums, demonstrate compliance with ASHRAE HVAC Applications Handbook, 2011 edition, Chapter 5, Places of Assembly, Typical Natatorium Design Conditions, with errata.

OR

Option 2. ISO and CEN Standards

Design HVAC systems and the building envelope to meet the requirements of the applicable standard:

- ISO 7730:2005, Ergonomics of the Thermal Environment, analytical determination and interpretation of thermal comfort, using calculation of the PMV and PPD indices and local thermal comfort criteria; and
- CEN Standard EN 15251:2007, Indoor Environmental Input Parameters for Design and Assessment of Energy Performance of Buildings, addressing indoor air quality, thermal environment, lighting, and acoustics, Section A2.

Thermal comfort control

Provide individual thermal comfort controls for at least 50% of individual occupant spaces. Provide group thermal comfort controls for all shared multioccupant spaces, and for any individual occupant spaces without individual controls.

Thermal comfort controls allow occupants, whether in individual spaces or shared multioccupant spaces, to adjust at least one of the following in their local environment: air temperature, radiant temperature, air speed, and humidity.