

LEED ND: Plan | v4 - LEED v4

Rainwater management

Possible 4 points

1 result in All .

Intent

To reduce runoff volume and improve water quality by replicating the natural hydrology and water balance of the site, based on historical conditions and undeveloped ecosystems in the region.

Requirements

In a manner best replicating [natural site hydrology](#) processes, manage on site the runoff from the developed site for the percentile of regional or local rainfall events listed in Table 1, using [low-impact development \(LID\)](#) and [green infrastructure](#).

Use daily rainfall data and the methodology in the U.S. Environmental Protection Agency (EPA) Technical Guidance on Implementing the Stormwater Runoff Requirements for Federal Projects under Section 438 of the Energy Independence and Security Act to determine the percentile amounts listed in Table 1. The percentile rainfall event indicates the total volume to be retained on site.

Table 1. Points for retaining rainwater on site

Percentile rainfall event	Points
80th	1
85th	2
90th	3
95th	4

Projects that earn at least 2 points under this credit may earn an additional point if the site meets one of the following criteria.

- The project is located on a [previously developed site](#).
- The project achieves 1 point in SLL Credit Brownfield Remediation.
- The project is designed to be transit ready by achieving at least 2 points each under NPD Credit Walkable Streets, NPD Credit Compact Development, and NPD Credit Mixed-Use Neighborhoods.