

Our "watch" feature allows you to stay current on all aspects of this specific credit. In your account, you can control what you get updated on and how you receive your notifications. [Hide](#)

LEED BD+C: New Construction | v4 - LEED v4

Bicycle facilities

Possible 1 point

1 result in All .

Intent

To promote bicycling and transportation efficiency and reduce vehicle distance traveled. To improve public health by encouraging utilitarian and recreational physical activity.

Requirements

Bicycle network

Design or locate the project such that a [functional entry](#) and/or bicycle storage is within a 200-yard (180-meter) [walking distance](#) or [bicycling distance](#) from a [bicycle network](#) that connects to at least one of the following:

- at least 10 diverse uses (see Appendix 1);
- a school or [employment center](#), if the project total floor area is 50% or more residential; or
- a [bus rapid transit](#) stop, light or heavy rail station, commuter rail station, or ferry terminal.

All destinations must be within a 3-mile (4800-meter) bicycling distance of the project boundary.

Planned bicycle trails or lanes may be counted if they are fully funded by the date of the certificate of occupancy and are scheduled for completion within one year of that date.

Bicycle Storage and Shower Rooms

Case 1. commercial or institutional projects

Provide [short-term bicycle storage](#) for at least 2.5% of all peak visitors, but no fewer than four storage spaces per building.

Provide [long-term bicycle storage](#) for at least 5% of all regular building occupants, but no fewer than four storage spaces per building in addition to the short-term bicycle storage spaces.

Provide at least one on-site shower with changing facility for the first 100 regular building occupants and one additional shower for every 150 regular building occupants thereafter.

Case 2. residential projects

Provide [short-term bicycle storage](#) for at least 2.5% of all peak visitors but no fewer than four storage spaces per building.

Provide [long-term bicycle storage](#) for at least 30% of all regular building occupants, but no less than one storage space per residential unit in addition to the short-term bicycle storage spaces.

Case 3. mixed-use projects

Meet the Case 1 and Case 2 storage requirements for the nonresidential and residential portions of the project, respectively.

For all projects

Short-term bicycle storage must be within 100 feet (30 meters) [walking distance](#) of any main entrance. Long-term bicycle storage must be within 100 feet (30 meters) walking distance of any [functional entry](#).

Bicycle storage capacity may not be double-counted: storage that is fully allocated to the occupants of non-project facilities cannot also serve project occupants.

Core & Shell projects should refer to Appendix 2, Default Occupancy Counts, for occupancy count requirements and guidance.