

Our "watch" feature allows you to stay current on all aspects of this specific credit. In your account, you can control what you get updated on and how you receive your notifications. [Hide](#)

LEED ID+C: Commercial Interiors | v4 - LEED v4

Bicycle facilities

Possible 1 point

1 result in All .

Intent

To promote bicycling and transportation efficiency and reduce vehicle distance traveled. To improve public health by encouraging utilitarian and recreational physical activity.

Requirements

Bicycle Network

Locate the space in a building such that a [functional entry](#) and/or the bicycle storage is within a 200-yard (180-meter) [walking distance](#) or [bicycling distance](#) of a [bicycle network](#) that connects to at least one of the following:

- at least 10 diverse uses (see Appendix 1); or
- a [bus rapid transit](#) stop, light or heavy rail station, commuter rail station, or ferry terminal.

All destinations must be within a 3-miles (4800-meter) bicycling distance of the project boundary.

Planned bicycle trails or lanes may be counted if they are fully funded by the date of the certificate of occupancy and are scheduled for completion within one year of that date.

Bicycle storage and shower rooms

Provide [short-term bicycle storage](#) for at least 2.5% or more of all peak visitors, but no fewer than two storage spaces per project.

Provide [long-term bicycle storage](#) for at least 5% of regular building occupants but no fewer than 2 spaces per project in addition to the short-term bicycle spaces.

Provide at least one on-site shower with changing facility for the first 100 regular building occupants and one additional shower for every 150 regular building occupants thereafter.

Short-term bicycle storage must be within 100 feet (30 meters) [walking distance](#) of any main entrance. Long-term bicycle storage must be within 100 feet (30 meters) walking distance of any [functional entry](#).

Bicycle storage capacity may not be double-counted: storage that is fully allocated to the occupants of nonproject facilities cannot also serve project occupants.