USGBC.org - Scheduled Maintenance
From **Friday, May 15, 8:00 PM to Monday, May 18, 8:00 AM EST**, USGBC.org will be offline for site maintenance.
Email us or call 1-800-795-1747 for assistance. Thanks for your patience.
Please upgrade your browser. This site requires a newer version to work correctly. Read more

- EA126 | Enhanced refrigerant management
  - EA1 | Optimize energy performance
  - EA10 | District heating and cooling
  - EA101 | Fundamental commissioning and verification
  - EA101 | Fundamental commissioning and verification
  - EA101 | Fundamental commissioning and verification
  - EA102 | Energy efficiency best management practices
  - EA102 | Energy efficiency best management practices
  - EA103 | Minimum energy performance
  - EA103 | Minimum energy performance
  - EA103 | Minimum energy performance
  - EA104 | Minimum energy performance
  - EA104 | Minimum energy performance
  - EA105 | Minimum energy performance
  - EA106 | Building-level energy metering
  - EA106 | Building-level energy metering
  - EA107 | Building-level energy metering
  - EA108 | Fundamental refrigerant management
  - EA108 | Fundamental refrigerant management
  - EA109 | Fundamental refrigerant management
  - EA11 | Infrastructure energy efficiency
  - EA110 | Enhanced commissioning
  - EA110 | Enhanced commissioning
  - EA110 | Enhanced commissioning
  - EA112 | Existing building commissioning—analysis
  - EA112 | Existing building commissioning—analysis
  - EA113 | Existing building commissioning—implementation
  - EA114 | Ongoing commissioning
  - EA118 | Advanced energy metering
  - EA118 | Advanced energy metering
  - EA118 | Advanced energy metering
  - EA120 | Advanced energy metering
  - EA120 | Advanced energy metering
  - EA121 | Demand response
  - EA122 | Demand response
  - EA123 | Renewable energy production
  - EA123 | Renewable energy production
  - EA125 | Renewable energy and carbon offsets
  - EA126 | Enhanced refrigerant management
  - EA126 | Enhanced refrigerant management
  - EA126 | Enhanced refrigerant management
  - EA126 | Enhanced refrigerant management
  - EA127 | Enhanced refrigerant management
  - EA127 | Enhanced refrigerant management
  - EA128 | Green power and carbon offsets
  - EA128 | Green power and carbon offsets
  - EA128 | Green power and carbon offsets
  - EA2.1 | New construction commissioning
  - EA2.2 | Existing building commissioning
  - EA2.3 | Ongoing & monitoring-based commissioning
  - EA3.1 | Energy metering
  - EA3.2 | Measurement & verfication
  - EA4 | Demand response
  - EA5 | Renewable energy
  - EA5.1 | Solar orientation
  - EA6 | Green power
  - EA7 | Refrigerant management
  - EA8 | Emissions reduction reporting
  - EA9 | Community contaminant prevention - airborne releases
  - EA903 | Optimize energy performance
  - EA903 | Optimize energy performance
  - EA903 | Optimize energy performance
  - EA903 | Optimize energy performance
  - EA903 | Optimize energy performance
  - EA904 | Optimize energy performance
  - EA904 | Optimize energy performance
  - EA905 | Optimize energy performance
  - EAc1 | Optimize energy performance
  - EAc1 | Optimize energy efficiency performance
  - EAc1 | Optimize energy performance
  - EAc1 | Optimize energy efficiency performance
  - EAc1 | Optimize energy performance
  - EAc1 | Optimize energy performance
  - EAc1 | Optimize energy performance
  - EAc1 | Optimize energy performance
  - EAc1 | Optimize energy performance
  - EAc1 | Optimize energy performance

- EAc1 | Optimize energy performance
- EAc1 | Optimize energy performance
- EAc1 | Optimize energy performance
- EAc1 | Annual energy use
- EAc1 | Annual energy use
- EAc1 | Optimize energy performance
- EAc1 | Optimize energy performance
- EAc1 | Optimize energy performance
- EAc1.1 | Optimize energy performance - lighting power
- EAc1.1 | Optimize energy performance - lighting power
- EAc1.1 | Optimize energy performance, lighting power
- EAc1.1-1.5 | Optimize energy performance
- EAc1.2 | Optimize energy performance - lighting controls
- EAc1.2 | Optimize energy performance - lighting controls
- EAc1.2 | Optimize energy performance, lighting controls
- EAc1.3 | Optimize energy performance - HVAC
- EAc1.3 | Optimize energy performance - HVAC
- EAc1.3 | Optimize energy performance, HVAC
- EAc1.4 | Optimize energy performance - equipment and appliances
- EAc1.4 | Optimize energy performance - equipment and appliances
- EAc1.4 | Optimize energy performance, equipment & appliances
- EAc1.5 | Optimize energy performance - building envelope
- EAc1.5 | Optimize energy performance, envelope
- EAc10 | Renewable energy
- EAc10 | Space heating and cooling equipment
- EAc11 | Residential refrigerant management
- EAc11 | Heating and cooling distribution systems
- EAc12 | Efficient domestic hot water equipment
- EAc13 | Lighting
- EAc14 | High-efficiency appliances
- EAc15 | Renewable energy
- EAc2 | Enhanced commissioning
- EAc2 | On-site renewable energy
- EAc2 | On-site renewable energy
- EAc2 | On-site renewable energy
- EAc2 | On-site renewable energy
- EAc2 | Insulation
- EAc2 | On-site renewable energy
- EAc2 | Enhanced commissioning
- EAc2 | On-site and off-site renewable energy
- EAc2 | On-site renewable energy
- EAc2 | On-site renewable energy
- EAc2 | On-site renewable energy
- EAc2 | Enhanced commissioning
- EAc2 | Efficient hot water distribution system
- EAc2 | On-site renewable energy
- EAc2 | On-site renewable energy, 1%
- EAc2.1 | Existing building commissioning - investigation and analysis
- EAc2.1 | Renewable energy - 5%
- EAc2.1 | Existing building commissioning - investigation and analysis
- EAc2.1-2.3 | Renewable energy
- EAc2.2 | Existing building commissioning - implementation
- EAc2.2 | Existing building commissioning - implementation
- EAc2.2 | Renewable energy - 10%
- EAc2.3 | Existing building commissioning - ongoing commissioning
- EAc2.3 | Existing building commissioning - ongoing commissioning
- EAc2.3 | Renewable energy - 20%
- EAc3 | Enhanced commissioning
- EAc3 | Measurement and verification
- EAc3 | Air infiltration
- EAc3 | Enhanced commissioning
- EAc3 | Energy use, measurement and payment accountability
- EAc3 | Enhanced commissioning
- EAc3 | Enhanced commissioning
- EAc3 | Additional commissioning
- EAc3 | Additional commissioning
- EAc3 | Enhanced commissioning
- EAc3 | Energy use, measurement & payment accountability
- EAc3 | Enhanced commissioning
- EAc3 | Advanced utility tracking
- EAc3 | Enhanced commissioning
- EAc3.1 | Performance measurement - building automation system
- EAc3.1 | Performance measurement - building automation system
- EAc3.1 | Building operations and maintenance - staff education
- EAc3.2 | Performance measurement - system-level metering
- EAc3.2 | Performance measurement - system-level metering
- EAc3.2 | Building operations and maintenance - building systems maintenance
- EAc3.3 | Building operations and maintenance - building systems monitoring
- EAc3.3 | Performance measurement - system-level metering
- EAc4 | Enhanced refrigerant management
- EAc4 | Enhanced refrigerant management
- EAc4 | Windows
- EAc4 | Enhanced refrigerant management
- EAc4 | Enhanced refrigerant management
- EAc4 | Green power
- EAc4 | Additional ozone protection
- EAc4 | Enhanced refrigerant management
- EAc4 | Enhanced refrigerant management
- EAc4 | Ozone protection
- EAc4 | Ozone depletion
- EAc4 | Enhanced refrigerant management
- EAc4 | Enhanced refrigerant management
- EAc4 | Green power
- EAc4 | Active solar-ready design

- EAc4 | On-site and off-site renewable energy
- EAc4 | Enhanced refrigerant management
- EAc4 | Green power
- EAc4 | Green power
- EAc4.1 | On-site and off-site renewable energy
- EAc4.2 | On-site and off-site renewable energy
- EAc4.3 | On-site and off-site renewable energy
- EAc4.4 | On-site and off-site renewable energy
- EAc5 | Measurement and verification
- EAc5 | Measurement and verification
- EAc5 | Measurement and verification
- EAc5 | Enhanced refrigerant management
- EAc5 | On-site renewable energy
- EAc5 | Heating and cooling distribution system
- EAc5 | Measurement and verification
- EAc5 | Refrigerant management
- EAc5 | Measurement and verification
- EAc5 | Measurement and verification
- EAc5 | Measurement and verification
- EAc5 | Measurement and verification
- EAc5 | On-site renewable energy
- EAc5 | Measurement and verification
- EAc5 | HVAC Start-up credentialing
- EAc5 | Measurement and verification
- EAc5.1 | Measurement and verification - base building
- EAc5.1 | Performance measurement - enhanced metering
- EAc5.1 | Measurement and verification - base building
- EAc5.1 | Measurement and verification - base building
- EAc5.2 | Measurement and verification - tenant submetering
- EAc5.2 | Measurement and verification - tenant submetering
- EAc5.2 | Performance measurement - enhanced metering
- EAc5.2 | Measurement and verification - tenant submetering
- EAc5.3 | Performance measurement - enhanced metering
- EAc5.4 | Performance measurement - emission reduction reporting
- EAc6 | Emissions reduction reporting
- EAc6 | Space heating and cooling equipment
- EAc6 | Green power
- EAc6 | Emissions reduction reporting
- EAc6 | Documenting sustainable building cost impacts
- EAc6 | Green power
- EAc6 | Green power
- EAc6 | Green power
- EAc6 | Green power
- EAc6 | Green power
- EAc6 | Building orientation for passive solar
- EAc6 | Green power
- EAc6 | Green power
- EAc6 | Green power
- EAc6 | Green power
- EAc6 | Green power
- EAc7 | Community contaminant prevention - airborne releases
- EAc7 | Water heating
- EAc7 | Air infiltration
- EAc8 | Lighting
- EAc8 | Envelope Insulation
- EAc9 | Appliances
- EAc9 | Windows
- EAp1 | Fundamental commissioning of building energy systems
- EAp1 | Fundamental commissioning of building energy systems
- EAp1 | Fundamental commissioning of the building energy systems
- EAp1 | Energy efficiency best management practices - planning, documentation and opportunity assessment
- EAp1 | Fundamental commissioning
- EAp1 | Existing building commissioning
- EAp1 | Fundamental commissioning of the building energy systems
- EAp1 | Fundamental commissioning of the building energy systems
- EAp1 | Fundamental building systems commissioning
- EAp1 | Fundamental building systems commissioning
- EAp1 | Fundamental commissioning of the building energy systems
- EAp1 | Fundamental Commissioning
- EAp1 | Fundamental commissioning of building energy systems
- EAp1 | Minimum energy performance
- EAp1 | Energy efficiency best management practices - planning, documentation and opportunity assessment
- EAp1 | Fundamental commissioning of building energy systems
- EAp1 | Fundamental commissioning of building energy systems
- EAp1 | Minimum energy performance
- EAp2 | Minimum energy efficiency performance
- EAp2 | Minimum energy performance
- EAp2 | Minimum energy efficiency performance
- EAp2 | Minimum energy performance
- EAp2 | Minimum energy performance
- EAp2 | Minimum energy performance
- EAp2 | Minimum energy performance
- EAp2 | Minimum energy performance
- EAp2 | Minimum energy performance
- EAp2 | Minimum energy performance
- EAp2 | Minimum energy performance
- EAp2 | Minimum energy performance
- EAp2 | Minimum energy performance
- EAp2 | Energy metering
- EAp2 | Minimum energy performance
- EAp2 | Minimum energy performance
- EAp2 | Minimum energy performance
- EAp2 | Minimum energy performance
- EAp3 | Fundamental refrigerant management

- EAp3 | Fundamental refrigerant management
- EAp3 | Fundamental refrigerant management
- EAp3 | Fundamental refrigerant management
- EAp3 | Refrigerant management - ozone protection
- EAp3 | CFC reduction in HVAC/R equipment
- EAp3 | Ozone protection
- EAp3 | Fundamental refrigerant management
- EAp3 | Fundamental refrigerant management
- EAp3 | CFC reduction in HVAC/R equipment
- EAp3 | CFC reduction in HVAC/R equipment
- EAp3 | Fundamental refrigerant management
- EAp3 | CFC reduction in HVAC&R equipment
- EAp3 | Education of homeowner, tenant, or building manager
- EAp3 | Fundamental refrigerant management
- EAp4 | Home size
- MEAc1 | Optimize energy performance in mid-rise buildings

Our "watch" feature allows you to stay current on all aspects of this specific credit. In your account, you can control what you get updated on and how you receive your notifications. Hide

LEED ID+C: Hospitality | v4 - LEED v4

Enhanced refrigerant management

Possible 1 point

1 result in**All** .

- Glossary

Intent

To reduce ozone depletion and support early compliance with the Montreal Protocol while minimizing direct contributions to climate change.

Requirements

Option 1. No refrigerants or low-impact refrigerants (1 point)

Do not use refrigerants, or use only refrigerants (naturally occurring or synthetic) that have an ozone depletion potential (ODP) of zero and a global warming potential (GWP) of less than 50.

OR

Option 2. Calculation of refrigerant impact (1 point)

Select refrigerants that are used in heating, ventilating, air-conditioning, and refrigeration (HVAC&R) equipment to minimize or eliminate the emission of compounds that contribute to ozone depletion and climate change. The combination of all new and existing base building and tenant HVAC&R equipment that serve the project must comply with the following formula:

IP units

LCGWP	+	LCODP	x	10^5	≤	100

SI units

LCGWP	+	LCODP	x	10^5	≤	13

Calculation definitions for LCGWP + LCODP x 10^5 ≤ 100 (IP units)	**Calculation definitions for LCGWP + LCODP x 10^5 ≤ 13 (SI units)**
LCODP = [ODPr x (Lr x Life +Mr) x Rc]/Life	LCODP = [ODPr x (Lr x Life +Mr) x Rc]/Life
LCGWP = [GWPr x (Lr x Life +Mr) x Rc]/Life	LCGWP = [GWPr x (Lr x Life +Mr) x Rc]/Life
LCODP: Lifecycle Ozone Depletion Potential (lb CFC 11/Ton-Year)	LCODP: Lifecycle Ozone Depletion Potential (kg CFC 11/(kW/year))
LCGWP: Lifecycle Direct Global Warming Potential (lb CO2/Ton-Year)	LCGWP: Lifecycle Direct Global Warming Potential (kg CO2/kW-year)
GWPr: Global Warming Potential of Refrigerant (0 to 12,000 lb CO2/lbr)	GWPr: Global Warming Potential of Refrigerant (0 to 12,000 kg CO2/kg r)
ODPr: Ozone Depletion Potential of Refrigerant (0 to 0.2 lb CFC 11/lbr)	ODPr: Ozone Depletion Potential of Refrigerant (0 to 0.2 kg CFC 11/kg r)
Lr: Refrigerant Leakage Rate (2.0%)	Lr: Refrigerant Leakage Rate (2.0%)
Mr: End-of-life Refrigerant Loss (10%)	Mr: End-of-life Refrigerant Loss (10%)
Rc: Refrigerant Charge (0.5 to 5.0 lbs of refrigerant per ton of gross AHRI rated cooling capacity)	Rc: Refrigerant Charge (0.065 to 0.65 kg of refrigerant per kW of AHRI rated or Eurovent Certified cooling capacity)
Life: Equipment Life (10 years; default based on equipment type, unless otherwise demonstrated)	Life: Equipment Life (10 years; default based on equipment type, unless otherwise demonstrated)

For multiple types of equipment, calculate a weighted average of all base building HVAC&R equipment, using the following formula:

IP units	**SI units**
$\frac{\sum (LCGWP + LCODP \times 10^5) \times Qunit}{Qtotal} \leq 100$	$\frac{\sum (LCGWP + LCODP \times 10^5) \times Qunit}{Qtotal} \leq 13$

Calculation definitions for	**Calculation definitions for**

$[\sum (LCGWP + LCODP \times 10^5) \times Qunit] / Qtotal \leq 100$	$[\sum (LCGWP + LCODP \times 10^5) \times Qunit] / Qtotal \leq 13$
(IP units)	**(SI units)**
Qunit = Gross AHRI rated cooling capacity of an individual HVAC or refrigeration unit (Tons)	Qunit = Eurovent Certified cooling capacity of an individual HVAC or refrigeration unit (kW)
Qtotal = Total gross AHRI rated cooling capacity of all HVAC or refrigeration	Qtotal = Total Eurovent Certified cooling capacity of all HVAC or refrigeration (kW)

0 comments Leave a comment

Leave a comment Don't have an account? Create one

You must be signed in to leave a comment.

Email

Password

SIGN IN

Address
2101 L Street NW
Suite 500
Washington, DC 20037
Within the United States:
1-800-795-1747
Outside the United States:
1-202-742-3792

© 2012-2015 U.S. Green Building Council

PARTNER SITES

- SITES
- Greenbuild International Conference and Expo
- Green Building Information Gateway
- Green Home Guide
- Center for Green Schools
- Green Apple
- Green Business Certification Inc.
- GRESB
- WELL
- PEER