

- [Credits](#)
- [Material & resources](#)
  - [Awareness & education](#)
  - [Energy & atmosphere](#)
  - [Indoor environmental quality](#)
  - [Innovation & design process](#)
  - [Location & linkages](#)
  - [Material & resources](#)
  - [Sustainable sites](#)
  - [Water efficiency](#)
- [MR904 | PBT source reduction - mercury](#)
  - [MMRc1 | Material-efficient framing](#)
  - [MMRc2 | Environmentally preferable products](#)
  - [MMRc3 | Waste management](#)
  - [MR1 | Sustainable purchasing](#)
  - [MR101 | Storage and collection of recyclables](#)
  - [MR101 | Storage and collection of recyclables](#)
  - [MR102 | Storage and collection of recyclables](#)
  - [MR102 | Storage and collection of recyclables](#)
  - [MR103 | Construction and demolition waste management planning](#)
  - [MR103 | Construction and demolition waste management planning](#)
  - [MR104 | PBT source reduction - mercury](#)
  - [MR105 | Ongoing purchasing and waste policy](#)
  - [MR105 | Ongoing purchasing and waste policy](#)
  - [MR106 | Facility maintenance and renovation policy](#)
  - [MR107 | Long-term commitment](#)
  - [MR108 | Building life-cycle impact reduction](#)
  - [MR108 | Building life-cycle impact reduction](#)
  - [MR108 | Building life-cycle impact reduction](#)
  - [MR109 | Interiors life-cycle impact reduction](#)
  - [MR109 | Interiors life-cycle impact reduction](#)
  - [MR110 | Solid waste management - ongoing](#)
  - [MR110 | Solid waste management - ongoing](#)
  - [MR111 | Solid waste management - facility maintenance and renovation](#)
  - [MR112 | Building product disclosure and optimization - environmental product declarations](#)
  - [MR112 | Building product disclosure and optimization - environmental product declarations](#)
  - [MR114 | Building product disclosure and optimization - sourcing of raw materials](#)
  - [MR114 | Building product disclosure and optimization - sourcing of raw materials](#)
  - [MR115 | Building product disclosure and optimization - material ingredients](#)
  - [MR115 | Building product disclosure and optimization - material ingredients](#)
  - [MR116 | Purchasing - lamps](#)
  - [MR118 | PBT source reduction - lead, cadmium and copper](#)
  - [MR119 | Furniture and medical furnishings](#)
  - [MR120 | Design for flexibility](#)
  - [MR121 | Purchasing - ongoing](#)
  - [MR121 | Purchasing - ongoing](#)
  - [MR122 | Purchasing - facility maintenance and renovation](#)
  - [MR123 | Construction and demolition waste management](#)
  - [MR123 | Construction and demolition waste management](#)
  - [MR123 | Construction and demolition waste management](#)
  - [MR2 | Construction, demolition and renovation waste management](#)
  - [MR2.1 | Solid waste management](#)
  - [MR3 | Resource reuse](#)
  - [MR4.1 | Assessment and optimization - life cycle assessment](#)
  - [MR4.2 | Assessment and optimization - life cycle impact disclosure](#)
  - [MR4.3 | Assessment and optimization - prescriptive attributes](#)
  - [MR4.4 | Responsible extraction of raw materials](#)
  - [MR4.5 | Avoidance of chemicals of concern in building materials](#)
  - [MR5 | Tenant space, long-term commitment](#)
  - [MR904 | PBT source reduction - mercury](#)
  - [MRc1 | Sustainable purchasing - ongoing consumables](#)
  - [MRc1 | Building reuse - maintain existing walls, floors and roof](#)
  - [MRc1 | Material-efficient framing](#)
  - [MRc1 | Durability management verification](#)
  - [MRc1 | Building reuse - maintain existing walls, floors and roof](#)
  - [MRc1.1 | Building reuse - maintain existing walls, floors and roof](#)
  - [MRc1.1 | Building reuse - maintain existing walls, floors and roof](#)
  - [MRc1.1 | Building reuse - maintain existing walls, floors and roof](#)
  - [MRc1.1 | Building reuse - maintain existing walls, floors and roof](#)
  - [MRc1.1 | Building reuse - maintain existing walls, floors and roof](#)
  - [MRc1.1 | Tenant space - long-term commitment](#)
  - [MRc1.1 | Building reuse - maintain 75% of existing walls, floors & roof](#)
  - [MRc1.1 | Tenant space - long-term commitment](#)
  - [MRc1.1 | Construction, demolition and renovation waste management](#)
  - [MRc1.1 | Building reuse - maintain 75% of existing walls, floors and roof](#)
  - [MRc1.1 | Building reuse - maintain 25% of existing walls, floors and roof](#)
  - [MRc1.1 | Building reuse - maintain 75% of existing walls, floors and roof](#)
  - [MRc1.1 | Building reuse - maintain 75% of existing walls, floors and roof](#)
  - [MRc1.1 | Sustainable purchasing - ongoing consumables](#)
  - [MRc1.1 | Building reuse: maintain 75% of existing walls, floors & roof](#)
  - [MRc1.1 | Tenant space, long-term commitment](#)
  - [MRc1.1 | Building reuse - maintain existing walls, floors and roof](#)
  - [MRc1.2 | Building reuse - maintain interior nonstructural elements](#)
  - [MRc1.2 | Building reuse - maintain interior nonstructural elements](#)
  - [MRc1.2 | Building reuse - maintain interior nonstructural elements](#)
  - [MRc1.2 | Building reuse - maintain 95% of existing walls, floors & roof](#)
  - [MRc1.2 | Building reuse - maintain 40% of interior non-structural components](#)
  - [MRc1.2 | Building reuse - maintain 95% of existing walls, floors and roof](#)
  - [MRc1.2 | Building reuse - maintain 50% of existing walls, floors and roof](#)
  - [MRc1.2 | Building reuse - maintain 100% of existing walls, floors and roof](#)
  - [MRc1.2 | Building reuse - maintain 100% of existing walls, floors and roof](#)

- [MRc1.2 | Construction, demolition and renovation waste management](#)
- [MRc1.2 | Sustainable purchasing - ongoing consumables](#)
- [MRc1.2 | Building reuse - maintain 95% of existing walls, floors & roof](#)
- [MRc1.2 | Building reuse, maintain 40% of interior non-structural components](#)
- [MRc1.2 | Building reuse - maintain interior nonstructural elements](#)
- [MRc1.3 | Building reuse - maintain 50% of interior non-structural elements](#)
- [MRc1.3 | Sustainable purchasing - ongoing consumables](#)
- [MRc1.3 | Building reuse - maintain 60% of interior non-structural components](#)
- [MRc1.3 | Building reuse - maintain 50% of interior non-structural elements](#)
- [MRc1.3 | Building reuse - maintain 75% of existing walls, floors and roof](#)
- [MRc1.3 | Building reuse - maintain 100% of shell/structure and 50% of non-shell/non-structure](#)
- [MRc1.3 | Building reuse - maintain 100% of shell/structure and 50% of non-shell/non-structure](#)
- [MRc1.3 | Building reuse: maintain 50% of interior nonstructural elements](#)
- [MRc1.3 | Building Reuse, Maintain 60% of Interior Non-Structural Components](#)
- [MRc2 | Construction waste management](#)
- [MRc2 | Environmentally preferable products](#)
- [MRc2 | Construction waste management - divert from disposal](#)
- [MRc2 | Environmentally preferable products](#)
- [MRc2 | Environmentally preferable products](#)
- [MRc2 | Construction waste management](#)
- [MRc2.1 | Sustainable purchasing - electric-powered equipment](#)
- [MRc2.1 | Construction waste management - divert 50% from disposal](#)
- [MRc2.1 | Construction waste management - divert 50% from landfill](#)
- [MRc2.1 | Optimize use of alternative materials](#)
- [MRc2.1 | Construction waste management - divert 50% from disposal](#)
- [MRc2.1 | Construction waste management - divert 50% from landfill](#)
- [MRc2.1 | Sustainable purchasing - durable goods](#)
- [MRc2.1 | Construction waste management: divert 50% from disposal](#)
- [MRc2.1-2.2 | Construction waste management](#)
- [MRc2.2 | Construction waste management - divert 75% from disposal](#)
- [MRc2.2 | Sustainable purchasing - durable goods](#)
- [MRc2.2 | Construction waste management - divert 75% from landfill](#)
- [MRc2.2 | Construction waste management - divert 75% from disposal](#)
- [MRc2.2 | Construction waste management - divert 75% from landfill](#)
- [MRc2.2 | Sustainable purchasing - furniture](#)
- [MRc2.2 | Optimize use of alternative materials](#)
- [MRc2.2 | Construction waste management: divert 75% from disposal](#)
- [MRc2.2 | Construction waste management, divert 75% from landfill](#)
- [MRc2.3 | Optimize use of alternative materials](#)
- [MRc2.4 | Optimize use of alternative materials](#)
- [MRc2.5 | Optimize use of alternative materials](#)
- [MRc3 | Materials reuse](#)
- [MRc3 | Materials reuse](#)
- [MRc3 | Materials reuse](#)
- [MRc3 | Sustainable purchasing - facility alterations and additions](#)
- [MRc3 | Sustainably sourced materials and products](#)
- [MRc3 | Waste management](#)
- [MRc3 | Sustainable purchasing - facility alterations and additions](#)
- [MRc3 | Materials reuse](#)
- [MRc3 | Materials reuse - 1%](#)
- [MRc3 | Construction waste management](#)
- [MRc3 | Construction waste management](#)
- [MRc3 | Materials reuse](#)
- [MRc3 | Materials reuse](#)
- [MRc3.1 | Materials reuse](#)
- [MRc3.1 | Materials reuse - 5%](#)
- [MRc3.1 | Resource reuse - 5%](#)
- [MRc3.1 | Optimize use of IAQ compliant products](#)
- [MRc3.1 | Resource reuse - 5%](#)
- [MRc3.1 | Materials reuse](#)
- [MRc3.1 | Materials reuse: 5%](#)
- [MRc3.1 | Resource reuse, 5%](#)
- [MRc3.1-3.2 | Resource reuse](#)
- [MRc3.2 | Materials reuse - furniture and furnishings](#)
- [MRc3.2 | Materials reuse - 10%](#)
- [MRc3.2 | Resource reuse - 10%](#)
- [MRc3.2 | Resource reuse - 10%](#)
- [MRc3.2 | Optimize use of IAQ compliant products](#)
- [MRc3.2 | Materials reuse: 10%](#)
- [MRc3.2 | Resource reuse, 10%](#)
- [MRc3.3 | Resource reuse - 30% furniture and furnishings](#)
- [MRc3.3 | Resource Reuse, 30% Furniture and Furnishings](#)
- [MRc4 | Recycled content](#)
- [MRc4 | Recycled content](#)
- [MRc4 | Recycled content](#)
- [MRc4 | Recycled content](#)
- [MRc4 | Sustainable purchasing - reduced mercury in lamps](#)
- [MRc4 | Recycled content \(post-consumer + 1/2 pre-consumer\)](#)
- [MRc4 | Material-efficient framing](#)
- [MRc4 | Recycled content](#)
- [MRc4 | Recycled content](#)
- [MRc4.1 | PBT source reduction - mercury in lamps](#)
- [MRc4.1 | Recycled content - 10% \(post-consumer + 1/2 pre-consumer\)](#)
- [MRc4.1 | Sustainable purchasing - reduced mercury in lamps](#)
- [MRc4.1 | Recycled content - 10% \(post-consumer + 1/2 pre-consumer\)](#)
- [MRc4.1 | Sustainable cleaning products and materials](#)
- [MRc4.1 | Recycled content - 10% \(post-consumer + 1/2 pre-consumer\)](#)
- [MRc4.1 | Recycled content - 5% \(post-consumer + 1/2 pre-consumer\)](#)
- [MRc4.1 | Recycled content: 10% \(post-consumer + 1/2 pre-consumer\)](#)
- [MRc4.1 | Recycled content, 10% \(post-consumer + 1/2 pre-consumer\)](#)
- [MRc4.1-4.2 | Recycled content](#)
- [MRc4.2 | PBT source reduction - lead, cadmium and copper](#)
- [MRc4.2 | Recycled content - 20% \(post-consumer + 1/2 pre-consumer\)](#)
- [MRc4.2 | Recycled content - 20% \(post-consumer + 1/2 pre-consumer\)](#)



- o [MRp2 | PBT source reduction - mercury](#)
- o [MRp2 | Solid waste management policy](#)
- o [MRp2 | Toxic material source reduction - reduced mercury in light bulbs](#)
- o [MRp2 | Durability management](#)
- o [MRp2.1 | Solid waste management policy](#)
- o [MRp2.2 | Storage and collection of recyclables](#)
- o [MRp2.3 | Facility alterations and additions policy](#)

Our "watch" feature allows you to stay current on all aspects of this specific credit. In your account, you can control what you get updated on and how you receive your notifications. [Hide](#)

| v4 - LEED v4

## PBT source reduction - mercury

### Possible 1 point

1 result in All .

- [Glossary](#)

#### Intent

To reduce the release of Persistent Bioaccumulative and Toxic (PBTs) chemicals associated with the life cycle of building materials.

#### Requirements

Specify and install fluorescent lamps with both low mercury content (MR Prerequisite PBT Source Reduction—Mercury) and long [lamp life](#), as listed in Table 1.

Table 1. criteria for rate life of low-mercury lamps

Lamp	Maximum content	Lamp Life (hrs)
T-8 fluorescent, eight-foot	10 mg mercury	<b>standard output</b> - 24,000 rated hours on instant start ballasts or program start ballasts (3-hour starts) <b>high output</b> - 18,000 rated hours on instant start ballasts or program start ballasts (3-hour starts)
T-8 fluorescent, four-foot	3.5 mg mercury	both standard and high output 30,000 rated hours on instant start ballasts, or 36,000 rated hours on program start ballasts (3 hour starts)
T-8 fluorescent- two foot and three foot	3.5 mg mercury	24,000 rated hours on instant start ballasts or program start ballasts (3-hour starts)
T-8 fluorescent, U-bent	6 mg mercury	18,000 rated hours on instant start ballasts, or 24,000 rated hours on program start ballasts (3-hour starts)
T-5 fluorescent, linear	2.5 mg mercury	<b>both standard and high output</b> - 25,000 rated hours on program start ballasts
Compact fluorescent, nonintegral ballast	3.5 mg mercury	12,000 rated hours
Compact fluorescent, integral ballast	3.5 mg mercury, ENERGY STAR qualified	<b>Bare bulb</b> - 10,000 rated hours <b>covered models such as globes, reflectors, A-19s</b> - 8,000 rated hours
High-pressure sodium, up to 400 watts	10 mg mercury	Use noncycling type or replace with LED lamps or induction lamps
High-pressure sodium, above 400 watts	32 mg mercury	Use noncycling type or replace with LED lamps or induction lamps

Do not specify or install circular fluorescent lamps or probe start metal halide lamps.

0 comments [Leave a comment](#)

Leave a comment Don't have an account? [Create one](#)

You must be signed in to leave a comment.

Email

Password