

Table 1: ASHRAE 90.1-2010 Appendix G Percentage Improvement

New Buildings / Homes Midrise	Existing Building Renovations / ID&C	CS	Points (Schools, Retail, NC except NC Multifamily Res,)	Points (CS)	Points (Health-care)	Points (ID&C)	Points (NC Multi-family Res)	Points (Homes Midrise)
5%	3%	2%	Prerequisite	Prereq	Prereq	Prereq	Prereq	Prereq
5%	3%	2%	3	3	3	3	2	2
6%	4%	3%	4	4		4	3	3
7%								4
8%	6%	5%	5	5	5	5	4	5
9%								6
10%	8%	7%	6	6		6	5	7
11%								8
12%	10%	9%	7	7	7	7	6	9
13%								10
14%	12%	11%	8	8	9	8	7	11
15%								12
16%	14%	13%	9	9	11	9	8	13
17%								14
18%	16%	15%	10	10	13	10	9	15
19%								16
20%	18%	17%	11	11	14	11	10	17
21%								18
22%	20%	19%	12	12	15	12	11	19
23%								20
24%	22%	21%	13	13	16		12	21
25%								22
26%	24%	23%	14	14	17		13	23
27%								24
28%	26%	25%	15	15	18	17	14	25
29%								26
30%	28%	27%	16	16	19		15	27
31%								28
32%	30%	29%	17	17	20	22	16	29
33%								30
34%	32%	31%	18	18	21		17	31
36%	34%	33%	19	19	22		18	32
38%	36%			20	23		19	33
40%	38%			21	24			34

NOTE: This table only applicable to projects applying LEED Interpretation 10421 in its entirety.